#1 Sep 30, 2026 MONTHLY BY EDGE MEDIA EU

bodybuilding times

newspaper about pharmacology. nutrition and training

Price: 0.00 USD, EUR, GBP

Prescription vs UGLs
>>>pages 10-11

Hyperplasia Induced
>>>pages 14-15

Pharma-Exile vs Local UGLs
>>>pages 12-13



Quick References
for bodybuider >>> page 2

Market review
and news >>> page 4

Big Dive into Anabolics Potencies
pages >>> 8-9

Enzymatic fate
of anabolics
>>>pages 6-7

Did you Know
>>>page 16

Welcome message
>>>page 3

Pharma-to-UGL Paradox
>>>pages 10-11

Anabolic sanctuaries
>>>pages 12-13

Genetical ceiling increase
>>>pages 14-15

Pharma news
>>>page 5

Read in the following issue: Anabolics Esterification >>>>>oct, 30

bodybuilding times
editorial

published since 30/09/1994

publisher EDGE MEDIA

publishing frequency: Monthly every last day of the month

email: editor@bodybuildingtimes.com

homepage: bodybuildingtimes.com

phone: to be added

Telegram Bodybuilding Chat: http://t.me/BBTimesChat

Telegram Channel: http://t.me/BodybuildingTimesCom

Youtube:

Facebook:

editor: Aedeac Edge

advertisment submittion to the newspaper, prices and other inquiries: adv@bodybuildingtimes.com

Any reprinting and distribution is only allowed with the pemission of bodybuilding times editorial

newspapers editorial is not liable for the content of classifieds

news of the companies are published on an advertisment rights

newspaper's price: Free of charge

newspaper is distributed Online

subscription is available by submitting you email on our website: bodybuildingtimes.com, the subscription form in the left corner on the homepage

and also by sending an email to editor@bodybuildingtimes.com with word subscription

For donations: PayPal account:

Bank account number:

Recipient's Name:

Bank's name

Subscribers' count on 30/09/1994: 0

Quick reference table for bloodwork

Biomarker	US Conventional	SI / International (UK/EU/Aus)	Alternative Metric (Continental EU)	Bodybuilding Interpretation Context
1. Complete Blood Count (CBC) - Hematology				
Hematocrit (HCT)	41.0 - 50.0 %	0.41 - 0.50 (Volume Fraction)	41.0 - 50.0 %	6
Hemoglobin (HGB)	13.8 - 17.2 g/dL	138 - 172 g/L	13.8 - 17.2 g/L (or g/100mL)	Values >180 g/L (>18 g/dL) require clinical intervention.
Red Blood Cells (RBC)	4.35 - 5.65 ? 106/?L	4.35 - 5.65 ? 1012/L	4.35 - 5.65 M/?L	Measures red cell concentration driven higher by androgen exposure.
White Blood Cells (WBC)	4.5 - 11.0 ? 103/?L	4.5 - 11.0 ? 109/L	4,500 - 11,000 /?L	High values signal vascular inflammation or injection site infection.
Platelets	150 - 450 ? 103/?L	150 - 450 ? 109/L	150,000 - 450,000 /?L	High platelets combined with high HCT drastically raise stroke risk.
2. Lipid Profile - Cardiovas-cular Health				
HDL Cholesterol	> 40 mg/dL	> 1.03 mmol/L	> 0.40 g/L	Suppressed to single digits (<0.3 mmol/L) by C17-? oral steroids.
LDL Cholesterol	< 100 mg/dL	< 2.59 mmol/L	< 1.00 g/L	Unchecked elevation accelerates arterial plaque accumulation.
Total Cholesterol	< 200 mg/dL	s	< 2.00 g/L	Overall circulating lipid pool; skewed during cycles.
Triglycerides	< 150 mg/dL	< 1.70 mmol/L	< 1.50 g/L	Elevated by high caloric intakes and oral steroid toxicity.
Apolipoprotein B (ApoB)	< 90 mg/dL	< 0.90 g/L	< 900 mg/L	Gold standard marker for actual atherogenic particle count.
3. Comprehensive Metabolic Panel (CMP) - Liver & Kidney				
ALT	7 - 56 U/L	0.12 - 0.93 ?kat/L	7 - 56 IU/L	Elevated by liver stress and intense muscle micro-tears.
AST	8 - 48 U/L	0.13 - 0.80 ?kat/L	8 - 48 IU/L	Concentrated heavily in muscle; spikes naturally after hard lifting.
GGT	9 - 48 U/L	0.15 - 0.80 ?kat/L	9 - 48 IU/L	True liver marker. Unaffected by muscle damage. Direct indicator of oral liver toxicity.
Serum Creatinine	0.74 - 1.35 mg/dL	65 - 119 ?mol/L	7.4 - 13.5 mg/L	Artificially elevated by high muscle mass, high protein intake, and creatine use.
eGFR	> 90 mL/min/1.73m?	> 90 mL/min/1.73m?	> 1.5 mL/s/m?	Glomerular filtration rate. Best measured via Cystatin-C in strength athletes.
BUN / Urea	7 - 20 mg/dL (BUN)	2.5 - 7.1 mmol/L (Urea)	0.15 - 0.45 g/L (Urea)	Elevated by high protein diets (>2g/kg) and heavy protein turnover.
Cystatin-C	0.62 - 1.11 mg/L	0.62 - 1.11 mg/L	46.2 - 82.8 nmol/L	Unaffected by muscle mass or diet; true renal function metric.
4. Endocrine & Sex Hormone Panel				
Total Testosterone	300 - 1,000 ng/dL	10.4 - 34.7 nmol/L	3.0 - 10.0 ng/mL	Exceeds lab ceilings on-cycle; drops to ~0 nmol/L during shutdown.
Free Testosterone	5.0 - 21.0 ng/dL	0.17 - 0.73 nmol/L (or 170-730 pmol/L	50 - 210 pg/mL	Biologically active, unbound androgen driving tissue adaptation.
Sensitive Estradiol (E2)	10 - 40 pg/mL	37 - 147 pmol/L	0.01 - 0.04 ng/mL	Crushed (<37 pmol/L) causes severe joint pain; high causes gyno/bloat.
Prolactin	4.0 - 15.2 ng/mL	85 - 323 mIU/L	4.0 - 15.2 ?g/L	Spiked by 19-nor compounds (Tren/Nandrolone); causes ED and gyno.
SHBG	16.5 - 55.9 nmol/L	16.5 - 55.9 nmol/L	1.8 - 6.0 mg/L	Crushed by oral steroids, liberating free testosterone.
LH	1.7 - 8.6 mIU/mL	1.7 - 8.6 IU/L	1.7 - 8.6 U/L	Pituitary signaling to testes; drops to <0.1 IU/L during shutdown.
FSH	1.5 - 12.4 mIU/mL	1.5 - 12.4 IU/L	1.5 - 12.4 U/L	Pituitary signal driving sperm production; drops to <0.1 IU/L on-cycle.
PSA	< 4.0 ng/mL	< 4.0 ?g/L	< 4.0 ug/L	Prostate tissue enlargement/stress marker.
5. Thyroid, Metabolic & Inflammatory Markers				
TSH	0.45 - 4.50 mIU/L	0.45 - 4.50 mIU/L	0.45 - 4.50 ?IU/mL	Measures baseline pituitary-thyroid axis drive.
Free T3	2.0 - 4.4 pg/mL	3.1 - 6.8 pmol/L	0.20 - 0.44 ng/dL	Active thyroid hormone; suppressed by extreme dieting or high GH use.
Free T4	0.82 - 1.77 ng/dL	10.5 - 22.7 pmol/L	8.2 - 17.7 ng/L	Prohormone pool converting into T3.
Fasting Blood Glucose	70 - 99 mg/dL	3.9 - 5.5 mmol/L	0.70 - 0.99 g/L	Baseline glycemic control marker.
Fasting Insulin	2.6 - 24.9 ?IU/mL	18 - 173 pmol/L	2.6 - 24.9 mIU/L	Elevations indicate early insulin resistance from prolonged GH use.
HbA1c	< 5.7 %	< 39 mmol/mol (IFCC standard)	< 5.7 %	3-month glycemic average; tracks pancreatic stress under heavy protocols.
hs-CRP	< 1.0 mg/L	< 9.5 nmol/L	< 0.1 mg/dL	Systemic arterial inflammation; >3.0 mg/L indicates high CV risk.
Creatine Kinase (CK)	30 - 200 U/L	0.50 - 3.33 ?kat/L	30 - 200 IU/L	Muscle damage marker; heavy lifting routinely pushes this to 500-2,500+ U/L.

*in red are essential markers bodybuilders have to check

1. Pharmacology & Ancillary Dosing				
Reference / Parameter	US Conventional	SI / International (UK/EU/Aus)	Alternative Metric / Units	Bodybuilding Interpretation Context
Aromatase Inhibitors Anastr.	0.25 – 0.5 mg EOD	0.25 – 0.5 mg EOD	250 – 500 µg EOD	Start low to manage E2. Avoid crashing E2 below 10 pg/mL to preserve lipids & joint health.
Prolactin Ctrl (Cabergoline)	0.25 – 0.5 mg bi-weekly	0.25 – 0.5 mg bi-weekly	250 – 500 µg bi-weekly	In Red: Crucial when running 19-nor derivatives to prevent prolactin-induced gyno/ED.
Hum. Chor. Gonadotropin hCG	250 – 500 IU 2x/week	250 – 500 IU 2x/week	0.25 – 0.5 kIU 2x/week	Preserves intratesticular testosterone and testicular volume during active cycles.
Tamoxifen (Nolvadex) – PCT Pr.	20 – 40 mg/day	20 – 40 mg/day	20,000 – 40,000 µg/day	In Red: SERM anchor for PCT. Block estrogen receptors at the breast tissue while stimulating LH/FSH.
Liver Support (TUDCA / NAC)	- 1000 mg/day; NAC: 1200 –	DCA: 0.5 – 1.0 g/day; NAC: 1.2 – 1.8 g/	TUDCA: 500 – 1000 mg/day	In Red: Mandatory baseline support when utilizing C17-alpha alkylated oral steroids.
Bl.Pressure Anc. (Telmisartan)	20 – 80 mg/day	20 – 80 mg/day	0.02 – 0.08 g/day	ARB of choice; reduces LVH (left ventricular hypertrophy) and improves insulin sensitivity.
2. Nutrition & Macro Target References				
Off-Season Protein Intake	1.0 – 1.2 g/lb BW	2.2 – 2.6 g/kg BW	0.22 – 0.26 g/100g BW	Baseline requirement for maximizing muscle protein synthesis (MPS) during hypercaloric states.
Contest Prep Protein Intake	1.2 – 1.6 g/lb BW	2.6 – 3.5 g/kg BW	0.26 – 0.35 g/100g BW	In Red: High intake required to prevent net nitrogen loss during severe calorie deficits.
Essential Dietary Fat Minimum	0.25 – 0.35 g/lb BW	0.55 – 0.80 g/kg BW	0.055 – 0.08 g/100g BW	Critical minimum floor to sustain baseline steroidogenesis and cell membrane integrity.
Hypertr. Caloric Surplus	+250 – +500 kcal/day	+1.0 – +2.1 MJ/day	+1,000 – +2,100 kJ/day	Optimal rate of gain (0.25–0.5% body weight per week) to minimize excess visceral adiposity.
Hydration Baseline	1.0 – 1.5 gal/day	3.8 – 5.7 L/day	3800 – 5700 mL/day	Essential for protein metabolism, kidney filtration, and compensating for high intra-muscular glycogen storage
Intra-Workout Carbs	0.15 – 0.25 g/lb BW	0.33 – 0.55 g/kg BW	30 – 60 g/hour	Highly branched cyclic dextrin (HBCD) with electrolytes to maintain performance during long workouts.
3. Training Load & Recovery Metrics				
Hypertr. Volume (Per Muscle)	10 – 20 sets/week	10 – 20 sets/week	Working sets (RPE 7-10)	Weekly set allocation. Up to 25+ sets if recovery permit for adv.
Proximity to Failure (RIR / RPE)	0 – 3 RIR (RPE 7 – 10)	0 – 3 RIR (RPE 7 – 10)	Reps In Reserve	True working sets must fall in this range to trigger mechanical tension & muscular hypertrophy.
Rest Interval (Compound Lifts)	2.0 – 3.0 min	120 – 180 sec	2 – 3 minutes	Allows full ATP-PC system recovery to maximize force output on heavy multijoint movements.
Rest Interval (Isolation Lifts)	1-1.5 min	60 – 90 sec	1 – 1.5 minutes	Optimizes metabolic stress and hyperemia (pump) while maintaining fatigue management.
Resting Heart Rate	50 – 70 bpm	50 – 70 bpm	Beats per minute	Chronic spikes (>10 bpm above baseline) indicate central nervous system fatigue or cardiovascular strain.

Halflifes	Unesterified	Propionate	Phenylpropionate	Enanthate/Cypionate	Decanoate	Undecanoate
Testosterone	4 hr	1.5 days	3 days	7/8 days	11 days	23 days
	Phenylpropionate	Decanoate	DHB Propionate	DHB Cypionate	Trestolone Acetate	Trestolone Enanthate
Nandrolone	3 days	12 days	2 days	8 days	6 hr	7 days
	Unesterified	Acetate	Enanthate	Hexahydrobenzylcarbonate	Metribolone	Mibolerone
Trenbolone	5 hr	1 day	8 days	9.5 hr	5 hr	5 hr
	Propionate	Enanthate	Methenolone Acetate	Methenolone Enanthat	Mesterolone	Boldenone Undecil
Drostanolone	2 days	8 days	1 day	8 days	12 hr	14 hr
	fluoxymesterone	Methandienone	Stanozolol	oxandrolone	oxymetholone	turinabol
	9.5 hr	4.5 hr	9 hr	9.5 hr	8 hr	16 hr

Peptides & SARMS	BPC-157	TB-500	GHK-Cu	Semaglutide	Retatrutide	Tirzepatide
Halflifes, Dosages	4 days, 500mcg/day	3 days, 5mg/week	45 min, 2 mg/day	7 days, 0.5 mg/week	6 days, 2 mg/week	5 days, 5 mg/week
PT-141	GHRP-2	GHRP-6	Ibutamoren (MK-677)	Ipamorelin	Tesamorelin	Sermorelin
2 hr, 1.75 mg/dose	30min,100mcg/dose	25 min, 100mcg/dose	1 day, 25 mg/day	2 hr, 200mcg/dose	32 min, 2mg/day	15 min, 300mcg/day
Semax	CJC-1295(no DAC)	CJC-1295 (With DAC)	KPV	AOD-9604	5-Amino-1MQ)Oral	Melanotan II
30 min, 500 mcg/day	30min,100mcg/dose	7 days, 2mg/week	25 min, 500 mcg/day	30 min, 300mcg/day	7 hr, 100mcg/day	1 hr, 250 mcg/dose
Selank	IGF-1 DES	IGF-1 LR3	PEG-MGF	HGH	HGH LAGH	Epitalon
23 min, 500 mcg/day	25 min, 50mcg/day	22 hr, 50 mcg/day	3 days, 200 mcg/3d	30 min, 3 IU/day	35 hr, 12 mg/week	45min, 10 mg/day
NAD+	MOTS-c	SS-31	HGH part 176-191	Hexarelin	Melanotan I	P-21
30 min, 100 mg/dose	2.5 hr, 5 mg/dose	3 hr, 10 mg/day	30 min, 250 mcg/dose	50 min, 100 mcg/dose	45 min, 1 mg/day	3 hr, 1 mg/day
Stenabolic SR-9009	Ostarine	Andorine S4	Ligandrol LGD-4033	Testolone RAD-140	YK-11	Cardarine GW-501516
50 min, 20 mg/day	1 day, 20 mg/day	5 hr, 50 mg/day	1.5 days, 10 mg/day	2.5 days, 10 mg/day	12 hr, 10 mg/day	1 day, 20 mg/day

Miscellaneous	Enclomiphene	Clomiphen	Anastrozole	Letrozol	Exemestane	Tamoxiphene
Halflifes, Dosages	10 hr, 12 mg/day	5 days, 50 mg/day	2 days, 0.5 mg/2 days	2 days, 1.2 mg/3days	30 hr, 12mg/day	6 days, 20 mg/day
Chorionic Gonadotropin	Glutatione	NAC	Cabergoline	Bromocriptine	Dutasteride	Finasteride
1.5 days, 500 IU/2xWeek	15 min, 20mg/dose	6 hr, 1200 mg/day	67 hr, 0.25mg/2xWeek	5 hr, 2.5 mg/day	5 weeks, 0.5mg/day	6 hr, 1 mg/day
Clenbuterol	Albuterol	DNP	Dapoxetine	Sildenafil	Tadalafil	Vardenafil
38 hr, 40mcg/day	5 hr, 4 mg/dose	3.5 days, 200 mg/day	1.5 hr, 30 mg/dose	4 hr, 50 mg/dose	17.5 hr, 10 mg/day	4.5 hr, 10 mg/dose
Sibutramine	Levothyroxine	Liothyronine	Telmisartan	Ramipril	Nebivolol	TUDCA/Ursosan
15 hr, 10 mg/day	6.5 days, 100mcg/day	2.5 days, 25mcg/day	1 day, 40 mg/day	15 hr, 5mg/day	11 hr, 5 mg/day	1.5 hr, 500 mg/day

Target Muscle Activation	Chest	Triceps		Shoulders	Dumbbell Lateral Raise	Cable Lateral Raise	Machine Lateral Raise
Pec Deck/Machine Fly	90%	Seated/Lying Cable Extension	85%	Side Delts	80%	85%	90%
Cable Chest Fly	85%	Triceps Cable Pushdown	85%	Shoulders	Cable Front Raise	Overhead Barbell Press	Arnold Press
Dumbbell Incline Flyes	80%	Skull Crushers (EZ-Bar)	85%	Front Delts	85%	65%	40%
Incline Dumbbell Pr	60%	Overhead Rope Extension	85%	Shoulders	Face Pull (Cable + Rope)	Reverse Pec Deck Fly	Rear Delt Dumbbell Fly
Flat Barbell Bench Pr	65%	Parallel Bar Dips	45%	Rear Delts	75%	85%	80%
Single-Arm Dumbbell Row	Cable Seated Row		Hammer Curl Brachialis		Concentration Curl	Barbell /EZ-Bar BicepCurl	Incline Dumbbell Curl
80%	70%	<<<Lats	Biceps>>>	15%	95%	80%	85%

Welcome to Bodybuilding Times Issue #1:

An Introduction to Science, Iron, and Reasonable Delusions

If you are holding this paper in your hands, congratulations. You have either taken a monumental step toward optimizing your human biology, or you were looking for something to wrap a dead fish in and accidentally stumbled upon the most scientifically pretentious fitness publication on the planet. Either way, welcome.

Bodybuilding Times was born out of a simple, glaring void in the fitness world. On one end of the spectrum, you have academic journals—dense, dry, and written by researchers who think a "superset" is a math term and haven't seen the sun since 1998. On the other end, you have internet forums—a chaotic wasteland where a guy named @Anabolic_Steve_99 swears that eating six raw eggs while hanging upside down cures tendonitis and increases your bench press by 40%.

We figured there had to be a middle ground. A place where rigorous, peer-reviewed science meets the glorious, slightly unhinged reality of chasing muscle.

What You Are Actually Reading

Over these 16 pages, we promise to treat your intellect with respect and your biceps with extreme urgency. We don't do hype, we don't sell "secret trick" fat loss teas, and we certainly don't care about "manifesting gains." We care about mechanisms, pathway activations, and measurable adaptations.

Here is what you can expect from our regular rotation of madness:

- Pharmacology: We dive deep into the biochemistry of performance enhancement. No moralizing, no bro-science rumors, just cold, hard receptor-affinity data, half-life breakdowns, and harm-reduction protocols. If it binds, modulates, or synthesizes, we analyze it.
- Nutrition: From precision macronutrient partitioning to the biochemical reality of why your digestive system hates your 300g protein intake, we break down fuel at a cellular level. Expect fewer recipes for "protein pancakes that taste just like the real thing" (they don't, stop lying to yourself) and more discussions on leucine thresholds and glycemic responses.
- Training & Biomechanics: Lifting weights is just applied physics using meat levers. We inspect moment arms, force curves, and hypertrophic stimulus without the dogmatic shouting matches.

A Quick Note on Our Tone

Will this publication get highly scientific? Absolutely. You will encounter terms like mTORC1 signaling, androgen receptor downregulation, and myofibrillar protein synthesis rates.

Will it also make fun of you for measuring your rice down to the exact decigram while neglecting your sleep hygiene? Undoubtedly. Because if you can't laugh at the sheer absurdity of human beings willingly tearing their muscle fibers to pieces in a brightly lit room full of mirrors while drinking neon-colored water, you're doing it wrong.

So, untie your lifting belt, pour yourself a dubious amount of EAAs, and turn to Page 4. Let’s do some science.

The Pharma & UGL MARKET Roundup

The State of the Ma-rket: Pharma Shor-tages & Undergrou-nd Volatility

The anabolic economy in 2026 is experiencing an unprecedented divide. On the prescription side, insurance companies are tightening constraints on Testosterone Replacement Therapy (TRT) and Human Growth Hormone (hGH), sending legal out-of-pocket prices soaring for anything beyond standard Testosterone Enanthate or Cypionate. Meanwhile, the Underground Laboratory (UGL) market is undergoing a massive shake-up. Raw Active Pharmaceutical Ingredient (API) supply chains out of East Asia have faced sudden regulatory disruptions, driving up raw material costs for classic compounds while fueling a massive wave of under-dosed or completely substituted products.

If you bought "Anavar" off a website last month for $40 and gained 12 pounds of water weight in two weeks, congratulations: you are running compressed Dianabol and potato starch.

New Kids on the Block: What's Ente-ring the Market?

1. Long-Acting Ester Tweaks & Novel Esters

Because true "new" anabolic molecules are almost nonexistent due to modern drug development focusing on non-steroidal selective modulators, UGL brew-masters have turned to custom esterification.The Trend: Enteric-coated oral formulations designed to bypass liver first-pass metabolism via lymphatic absorption are making their way from human clinical trials straight into underground bathtub chemistry. The Reality: Most UGL "super-esters" are just standard Testosterone blended with heavy concentrations of benzyl benzoate and castor oil that leave your glutes feeling like you were kicked by a mule for six straight days.

2. Next-Gen Peptides & GLP-1 Off-Label Craze

The biggest shift in bodybuilding pharmacology isn't a new steroid—it's the massive influx of obesity and metabolic drugs spilling over into the muscle world.

Retatrutide & Triple-Agonists: Tirzepatide is officially "old news" in gym locker rooms. Competitors are aggressively sourcing research-grade Retatrutide (a GIP/GLP-1/Glucagon triple receptor agonist) for contest prep. It allows bodybuilders to slice off sub-5% body fat while accidentally forgetting to eat for three days at a time.

Myostatin Inhibitors (YK-11 Derivatives & Follistatin Constructs): UGLs are heavily marketing new oral Myostatin-blocking peptides. Spoiler alert: 95% of them degrade in your stomach acid before they ever reach a receptor, serving as a very expensive way to turn your urine bright yellow.

The Price Index: What Does It Cost to Get Jacked in 2026

Raw materials are getting pricier, customs enforcement is getting smarter, and UGL home-brewers are raising their prices under the guise of "inflation and artisanal organic carrier oils."The Trenbolone Surge: Raw Trenbolone powder prices have jumped ~35% over the past two years due to strict enforcement against agricultural cattle-pellet extraction kits. If your Tren suddenly costs the same as standard Testosterone, you aren't running Trenbolone—you're running oil with yellow food coloring.

The "Premium" Carrier Oil Tax: Underground labs are now charging an extra $15 per vial for using MCT oil or Grapeseed oil instead of industrial Cottonseed oil. Apparently, bodybuilders drawing 3cc's of unverified research compounds with a 23-gauge needle suddenly care deeply about organic seed oils.

Underground Lab (UGL) Marketing vs. Reality

What the UGL Website Says: "Our oils are double-filtered in an ISO-9 Class 1000 sterile cleanroom using pharmaceutical-grade Miglyol 840 and tested via HPLC to guarantee 99.8% purity." What Is Actually Happening:Dave is filtering 250ml of Testosterone Cypionate through a coffee filter on his kitchen counter while wearing a garbage bag as a hazmat suit and yelling at his cat to stay off the dining table.

Retatrutide

This experimental triple GIP/GLP-1/Glucagon receptor agonist is making waves in research communities, sho-wing unprecedented fat-loss efficiency in Phase 3 clinical trials. Beyond drastic appetite suppression, the compound's glucagon receptor signaling actively elevates resting metabolic rate. However, reports from prep circles highlight a significant risk of collateral lean-muscle degradation if high protein intake and heavy resistance training are not strictly maintained.

Apitegromab (Isembyld)

Recently approved as a targeted monoclonal antibody for spinal muscular atrophy, Apitegromab selectively binds to and inhibits the activation of pro-myostatin in muscle tissue. Unlike earlier, broad-spectrum anti-myostatin agents, this compound works directly on the target muscle without triggering vascular or systemic inflammatory side effects. Its ability to preserve and expand skeletal muscle mass without hormonal suppression makes it a prime subject of research for advanced body-recomposition strategies.

KER-065

An experimental, highly selective activin receptor ligand trap currently progressing through clinical trials for neuromuscular wasting conditions. By sequestering specific TGF-beta superfamily ligands (such as myostatin and activins), KER-065 promotes significant muscle hypertrophy and fat mass reduction simultaneously. Early human trial data confirms notable increases in lean tissue volume, placing it at the absolute forefront of non-hormonal anabolic research

Trestolone Acetate (MENT)

While not a pharmaceutical novelty, this synthetic 19-nor derivative continues to see surging demand on the underground market as raw manufacturing methods stabilize. MENT binds to the androgen receptor with roughly ten times the affinity of testosterone, driving rapid muscle protein synthesis and exceptional strength gains. The primary limiting factor remains its rapid conversion into potent 7-alpha-methyl-estradiol, which requires precise estrogen management.

Teprotumumab

A fully human monoclonal antibody that acts as an insulin-like growth factor-1 receptor (IGF-1R) antagonist. While used therapeutically for thyroid eye disease, its precise receptor-blocking action makes it a valuable research tool for studying IGF-1 pathway kinetics, tissue cross-reactivity, and receptor downregulation during high-dose growth factor cycles.

The Information in the table is provided strictly for financial harm reduction purposes. No one is selling or encouraging to use anabolic or oher compounds. Interpolated prices around the world.

Estimated average prices for bodybuilding compounds as of 08/07/1993

Compound	Short specifications	Price, USD	Price, EUR	Price, GBP	Price, CNY
	Injectable AAS				
Testosterone	Propionate 10ml 100mg/ml	22	20	18	150
	Enanthate 10ml 250mg/ml	33	30	30	210
	Cypionate 10ml 250mg/ml	33	30	30	210
	Sustanon 10ml 250mg/ml	33	30	30	210
	Undecanoate 10ml 250mg/ml	30	25	22	175
	Propionate 30ml 100mg/ml	50	50	47	350
	Enanthate 30ml 250mg/ml	81	70	60	546
	Cypionate 30ml 250mg/ml	81	70	60	546
	Sustanon 30ml 250mg/ml	81	70	60	546
Boldenone	Undecilenate 10ml 250ml/ml	35	30	26	234
	Undecilenate 30ml 250ml/ml	81	70	60	546
Nandrolone	Phenilpropionate 10ml 100mg/ml	35	30	26	234
	Decanoate 10ml 250mg/ml	40	35	30	273
	Phenilpropionate 30ml 100mg/ml	86	75	64	585
	Decanoate 30ml 250mg/ml	98	85	72	663
Trenbolone	Acetate 10ml 100mg/ml	40	35	30	273
	Enanthate 10ml 200mg/ml	52	45	38	351
	Hex 10ml 100mg/ml	52	45	38	351
	Tritrenbbolone 10ml 200mg/ml	55	48	41	374
	Acetate 30ml 100mg/ml	92	80	68	624
Trestolone	Acetate 10ml 50mg/ml	69	60	51	468
DHB	Cypionate 10mg 75mg/ml	46	40	34	312
Drostanolone	Propionate 10ml 100mg/ml	46	40	34	312
	Enanthate 10ml 200mg/ml	69	60	51	468
	Propionate 30ml 100mg/ml	109	95	81	741
Methenolone	Enanthate 10ml 100mg/ml	81	70	60	546
Danabol Inj.	Suspension 10ml 50mg/ml	35	30	26	234
Stanozolol Inj.	Suspension 10ml 50mg/ml	35	30	26	234
	Oral AAS				
Danabol	10mg/tbl 100tbl.	29	25	21	195
	20mg/tbl 100tbl	52	45	38	351
Stanozolol	10mg/tbl 100tbl.	29	25	21	195
	20mg/tbl 100tbl	52	45	38	351
Oxandrolone	10mg/tbl 100tbl.	51	44	37	343
	50mg/tbl 100tbl	115	100	85	780
Oximetholone	25mg/tbl 100tbl.	40	35	30	273
	50mg/tbl 100tbl	75	65	55	507
Turinabol	10mg/tbl 100tbl.	40	35	30	273
Fluoxymesterone	10mg/tbl 100tbl.	115	100	85	780
Methyltrienolone	500 mcg, 0.5 mg	46	40	34	312
	Peptides				
Bacteriost. Water	10 ml	12	10	9	78
Semaglutide	3 ml, 5 mg, pen	150	130	111	1014
Retatrutide	3ml, 10 mg	104	90	77	702
Tirzepatide	3 ml, 10mg, pen	92	80	68	624
CJC-1295 no DAC	5 mg/vial	40	35	30	273
CJC-1295 DAC	5 mg/vial	55	48	40	371
Tesamorelin	5 mg/vial	69	60	51	468
Sermorelin	5 mg/vial	40	35	30	273
HGH part 176-191	5 mg/vial	40	35	30	273
Ipamoreline	5 mg/vial	35	30	26	234
GHRP-2	5 mg/vial	29	25	21	195
GHRP-6	5 mg/vial	29	25	21	195
Hexarelin	2 mg/vial	35	30	26	234
Ibutamoren MK-677	25 mg/cap 60 caps	86	75	64	585
BPC-157	5 mg/vial	40	35	30	273
TB-500	5 mg/vial	46	40	34	312
AOD-9604	5 mg/vial	49	43	36	332
5-Amino-1MQ	50 mg/cap 60 caps	109	95	81	741
Melanotan II	10 mg/vial	35	30	26	234
NAD+	500 mg/vial	81	70	60	546
MOTS-C	10 mg/vial	69	60	51	468
SS-31	10 mg/vial	81	70	60	546
	SARMS				
Ostarine	60 caps 12.5 mg/cap	52	45	38	351
Andorine S4	60 caps 25 mg/cap	55	48	40	371
Ligandrol LGD-4033	60 caps 5 mg/cap	60	53	45	410
Testolone RAD-140	60 caps 10 mg/cap	66	58	49	449
YK-11	60 caps 5 mg/cap	69	60	51	468
Cadarine GW-501516	60 caps 10 mg/cap	55	48	40	371
Stenabolic SR-9009	60 caps 10 mg/cap	60	53	45	410
	Post Cycle Therapy				
Clomiphene	30 tbl, 50 mg/tbl	35	30	26	234
Enclomiphene	30 caps, 12.5 mg/tbl	55	48	41	374
Tamoxifene	30 tbl, 20mg/tbl	28	24	20	187
Anastrozole	30 tbl, 1 mg/tbl	40	35	30	273
Letrozole	30 tbl, 2.5 mg/tbl	40	35	30	273
Exemestane	30 tbl, 25 mg/tbl	49	43	36	332
Chorionic Gonadotropin	5000 iu/vial	40	35	30	273
Finasterid	30 tbl 1mg/tbl	26	22.5	19	16
Dutasterid	30 caps 0.5 mg/cap	35	30	26	22
	Miscellaneous				
Cabergoline	10 tbl, 0.25mg/tbl	43	38	32	293
Bromocriptine	30 tbl, 2.5 mg/tbl	35	30	26	234
TUDCA, Ursosan	60 caps, 250 mg/cap	49	43	36	332
NAC	60 caps, 600 mg/cap	17	15	13	117
Glutathione	1 vial, 600 mg/vial	43	38	32	293
Clenbuterol	50 tbl, 40 mcg/tbl	35	30	26	234
Albuterol	50 tbl, 4 mg/tbl	26	23	19	176
2,4-Dinitrophenol (DNP)	30 caps 200 mg/cap	63	55	47	429
Liothyronine T3	50 tbl, 25 mcg/tbl	23	20	17	156
Levothyroxine T4	50 tbl, 100 mcg/tbl	ss	25	21	195
Furosemid	30 tbl 40 mg/tbl	17	15	13	117
Torasemid	30 tbl 10 mg/tbl	17	15	13	117
Tadalafil	20 tbl, 20mg/tbl	29	25	21	195
Sildenafil	20 tbl, 100mg/tbl	26	23	19	176
Vardenafil	20 tbl, 20mg/tbl	35	30	26	234
Sibutramine	30 caps, 15 mg/cap	49	43	36	332
Dapoxetine	20 tbl, 60mg/tbl	35	30	26	234
	HGH, Growth Factors				
HGH 100iu	100 iu/vial or 10 vials of 10 iu/vial	196	170	145	1326
PEG-MGF	2 mg/vial	49	43	36	332
IGF-1 LR3	1000 mcg/vial	81	70	60	546
IGF-1 DES	1000 mcg/vial	75	65	55	507
MGF	2 mg/vial	40	35	30	273

Development and Releases of new pharmacological compounds

Enobosarm (Ostarine / GTx-024)
Despite regulatory hurdles in clinical spaces, this selective androgen receptor modulator remains heavily researched for its organ-selective anabolic properties. Clinical studies targeting muscle-wasting conditions demonstrate its ability to increase lean body mass and physical function while minimizing prostate and hair follicle androgenicity. Ongoing research focuses on its precise tissue selectivity and its impact on lipid panels under long-term exposure.

Bimagrumab
A human monoclonal antibody that selectively binds to activin type II receptors (ActRIIA/ActRIIB), effectively blocking negative growth regulators like myostatin and activin A. In clinical trials combining it with GLP-1 medications, it demonstrated a rare dual outcome: significantly accelerating fat loss while simultaneously driving a net increase in lean skeletal muscle mass.

SR9011
A synthetic Rev-Erb receptor agonist designed to modulate the body's circadian clock and metabolic transcription pathways. By mimicking natural energy expenditure signals, it increases mitochondrial count in skeletal muscle cells and drastically elevates basal metabolic rate without relying on central nervous system stimulation.

Trodusquemine (MSI-1436)
An allosteric inhibitor of protein tyrosine phosphatase 1B (PTP1B) currently under clinical evaluation for metabolic disorders. By blocking PTP1B, it amplifies insulin and leptin signaling pathways, facilitating heightened nutrient partitioning directly into muscle tissue while simultaneously increasing hepatic insulin sensitivity.

Desmaprazo (BAM15)
A mitochondrial uncoupler that selectively dissipates the proton gradient across the inner mitochondrial membrane in liver and fat tissues. Unlike legacy uncouplers such as DNP, BAM15 increases caloric expenditure and lipid oxidation without raising core body temperature or triggering systemic hyperthermia, making it a primary target of research for safe, non-stimulant metabolic enhancement.

MOTS-c
A mitochondrial-derived peptide that functions as a systemic metabolic regulator by translocating to the cell nucleus during metabolic stress. It enhances target-tissue insulin sensitivity, accelerates glucose uptake in skeletal muscle, and prevents diet-induced metabolic dysfunction, positioning it as a key focus in exercise-mimetic therapeuticresearch.

SLU-PP-332
An estrogen-related receptor (ERR) agonist engineered to trick skeletal muscle tissue into triggering high-endurance cellular adaptations without physical exertion. Preclinical models demonstrate that activating ERRs with this compound increases oxidative muscle fiber density, elevates fatty acid oxidation, and significantly boosts aerobic stamina.

3,5-Diiodothyronine (T2)
A thyroid hormone metabolite that exerts direct metabolic effects on hepatic and muscular mitochondria with minimal impact on the thyroid-stimulating hormone (TSH) axis compared to T3 or T4. It selectively upregulates resting metabolic rate and lipid clearance via cellular uncoupling mechanisms, avoiding the severe muscle-wasting risks associated with traditional high-dose T3 usage.

SS-31 (Elamipretide)
A mitochondria-targeting peptide that binds directly to cardiolipin in the inner mitochondrial membrane, restoring structural integrity and ATP production efficiency. By reducing intracellular reactive oxygen species (ROS) and restoring cellular bioenergetics, it prevents exercise-induced muscle fatigue and accelerates systemic recovery under high physical strain.

P7C3
A neuroprotective, aminopropyl carbazole compound that activates the NAD+ salvage pathway by stimulating nicotinamide phosphoribosyltransferase (NAMPT). Designed to preserve neuronal integrity and muscle innervation under physical stress, it helps maintain neuromuscular firing rate, motor unit recruitment, and central nervous system output during high-intensity training.

Tesamorelin
A synthetic growth hormone-releasing hormone (GHRH) analogue that stimulates the endogenous, pulsatile secretion of growth hormone from the anterior pituitary gland. Unlike exogenous hGH injections, it preserves natural feedback loops while selectively targeting visceral adipose tissue reduction and enhancing localized insulin-like growth factor 1 (IGF-1) output.

Survodutide (BI 456906)
A dual glucagon/GLP-1 receptor agonist currently making rapid progress in Phase 3 trials for metabolic dysfunction and fatty liver disease. By combining glucagon-mediated hepatic energy expenditure with GLP-1-driven satiety, it significantly increases energy output without reducing basal metabolic rate during severe caloric deficits.

Mazdutide (IBI362)
Another emerging mammalian GLP-1 and glucagon receptor co-agonist engineered specifically for high-efficiency fat reduction and lipid clearance. Beyond suppressing appetite, its glucagon receptor activity stimulates brown adipose tissue thermogenesis and mobilizes intra-abdominal fat deposits at rates higher than mono-GLP-1 analogues.

Pemvidutide (ALT-801)
A balanced GLP-1/Glucagon dual receptor agonist designed with a proprietary peptide technology that mimics the naturally occurring hormone oxyntomodulin. Clinical trials highlight its ability to drop liver fat content dramatically while increasing resting energy expenditure, positioning it as a target compound for aggressive contest-prep fat loss.

CagriSema
A fixed-ratio combination of the long-acting amylin analogue cagrilintide and semaglutide. Cagrilintide triggers central amylin receptors in the brain to induce satiety through a mechanism distinct from GLP-1, producing an additive metabolic slowing effect that completely halts food cravings and accelerates fat-mass loss.

Orforglipron (LY3502970)
A non-peptide, small-molecule GLP-1 receptor agonist formulated for oral administration that is unaffected by food intake or gastric digestion timing. Unlike injectable peptide analogs, this synthetic small molecule binds directly to the GLP-1 receptor, providing consistent 24-hour appetite suppression in a daily oral capsule.

Danuglipron (PF-06882961)
An oral small-molecule GLP-1 receptor agonist engineered by Pfizer to bypass peptide degradation in the gastrointestinal tract. By selectively target-activating the GLP-1 receptor via a non-peptidic structure, it offers steady-state metabolic signaling and appetite regulation without requiring subcutaneous injections.

TREOG-002
An experimental thyroid hormone receptor beta (THR-β) selective agonist under investigation for non-alcoholic steatohepatitis and dyslipidemia. By selectively activating liver-specific beta receptors while avoiding cardiac alpha receptors, it accelerates intra-hepatic lipid breakdown and raises energy expenditure without causing tachycardia or muscle tissue degradation.

Ergasidutide
A novel peptide construct targeting multiple metabolic pathways that regulate both insulin sensitivity and lipid oxidation in peripheral tissues. Early research data demonstrates that its administration prevents diet-induced visceral fat storage while enhancing glucose uptake directly into skeletal muscle tissue under heavy metabolic strain.

Volasertib
Originally developed as an oncology agent targeting Polo-like kinase 1 (PLK1), this small molecule has re-emerged in research circles for its secondary effects on skeletal muscle cell signaling pathways. By modulating specific mitotic kinases in satellite cells, it is being studied for its ability to alter muscle progenitor cell proliferation and tissue repair response.

BIO101 (Sarconeos / 20-Hydroxyecdysone)
A pharmaceutical-grade, purified formulation of the phytoecdysteroid 20-hydroxyecdysone that acts selectively via Mas receptor signaling. Clinical trials targeting sarcopenia show that it stimulates muscle protein synthesis through a non-androgenic pathway, promoting lean tissue retention without affecting HPTA hormone production.

Myoki (Peptide-166)
A newly characterized synthetic peptide that directly inhibits the ubiquitin-proteasome pathway in muscle cells, preventing muscle atrophy during periods of severe caloric restriction or physical immobilization. Early trial data indicates marked preservation of muscle cross-sectional area and grip strength without altering systemic anabolic hormone levels.

SLED-1
A novel cellular uncoupling agent engineered to act as a "mild" mitochondrial uncoupler. By subtly decreasing the inner mitochondrial membrane proton gradient, it forces muscle cells to burn additional fatty acids to maintain ATP levels without inducing the dangerous systemic hyperthermia associated with traditional uncouplers like DNP.

SARD279
A selective androgen receptor degrader (SARD) designed to bind to both the ligand-binding domain and N-terminal domain of androgen receptors. While developed to combat resistant prostate cancer, research into its high-affinity binding kinetics provides deep insights into how to synthesize tissue-selective anabolic agents that lack androgenic activity in non-target organs.

OPK-88004
A selective androgen receptor modulator (SARM) developed to target muscle mass expansion and fat mass reduction in post-surgical recovery patients. Clinical data indicates significant increases in lean body mass alongside noticeable reductions in visceral fat, with minimal suppression of HDL cholesterol relative to legacy oral SARM compounds.

GSK2881078
A potent, non-steroidal SARM engineered to promote skeletal muscle accumulation without causing cutaneous androgenic side effects. Clinical trials in elderly adults with muscle wasting showed consistent, dose-dependent increases in lean leg mass and physical strength, confirming high selectivity for skeletal muscle tissue over prostate tissue.

Vosoritide
A C-type natriuretic peptide (CNP) analogue that acts directly on chondrocytes to stimulate endochondral bone growth and extracellular matrix synthesis. Beyond its clinical use in achondroplasia, research groups are evaluating its signaling downstream pathways for potential applications in tendon repair and connective tissue remodeling under heavy load.

Teprotumumab
A fully human monoclonal antibody that acts as an insulin-like growth factor-1 receptor (IGF-1R) antagonist. While used therapeutically for thyroid eye disease, its precise receptor-blocking action makes it a valuable research tool for studying IGF-1 pathway kinetics, tissue cross-reactivity, and receptor downregulation during high-dose growth factor cycles.

For more Pharmacology News visit our website: bodybuildingtimes.com

The Enzyme Chopping Block. The Science & The Bro-Science

```
==========================================================================================================
                                    THE ENZYME CHOPPING BLOCK
          How Aromatase, 5-AR, 17$\beta$-HSD, 3$\alpha$-HSD, and CYP450 Metamorphose, Activate, and Destroy Anabolics
----------------------------------------------------------------------------------------------------------
                    Written by Science-Bros, Reviewed by Enzymology, Feared by Estrogenic Bloat
==========================================================================================================
```

1. The Metabolic Meat Grinder: Why Injected Steroids Don't Stay the Same

>>>


When an athlete pins or swallows a performance-enhancing compound, they usually assume the exact molecule written on the vial is what lands on their androgen receptors. This is a complete biological fantasy. The human body is not a passive plastic container that holds oil; it is a hyper-aggressive biochemical slaughterhouse equipped with an array of metabolic enzymes designed to chop up, oxidize, reduce, or mutate foreign steroid backbones the second they enter the bloodstream.

Enzymes act as molecular traffic cops, transformation artists, and executioners. Depending on which specific enzyme grabs your synthetic hormone, one of three dramatic fates awaits it (see on the right)

Amplification (Super-Activation): An enzyme takes a mild or moderate compound and reduces it into a hyper-androgenic monster that binds receptors with terrifying force (e.g., Testosterone converting via 5α-Reductase into DHT).

Mutation (Estrogenic Transmutation): An enzyme strips away methyl groups and alters the structural ring, converting a muscle-building androgen into a fluid-retaining estrogen (e.g., Aromatase converting Testosterone into Estradiol).

Neutralization (Immediate Destruction): An enzyme spots a synthetic hormone in specific tissue (like skeletal muscle or liver) and instantly alters its hydroxyl or keto groups, turning a powerful anabolic into an utterly useless metabolic dud (e.g., 17β-HSD2 and 3α-HSD deactivating steroids into inactive metabolites).



2. The 5 Heavy-Hitter Enzyme Families

1. Aromatase (CYP19A1): The Estrogen Factory

The Mission: Aromatase is a cytochrome P450 enzyme sitting in fat tissue, brain tissue, and liver cells. Its sole job in life is to grab C19 androgens (like Testosterone) and permanently convert their A-ring into an aromatic estrogenic ring (C18 Estradiol).

The Consequence: Without an Aromatase Inhibitor (AI), high levels of aromatizing compounds lead to puffy tissue, elevated blood pressure, severe emotional mood swings during sad commercials, and storing body fat like a polar bear preparing for winter.

2. 5alpha-Reductase (5-AR): The Androgen Turbocharger

The Mission: Found heavily in the prostate, scalp hair follicles, and skin, 5-AR breaks the double bond at the carbon 4-5 position of the steroid backbone, converting C19 steroids into 5α-reduced metabolites.

The Consequence: Converts baseline Testosterone into Dihydrotestosterone (DHT)—a molecule with 3 to 5 times tighter binding affinity for the androgen receptor. It gives you raw strength, mental drive, and aggression, while simultaneously trying to evict every hair follicle off the top of your head.

3. 17beta-Hydroxysteroid Dehydrogenase (17β-HSD): The On/Off Master Switch

The Mission: This enzyme family governs the reversible conversion between inactive 17-keto steroids (weak molecules with a double-bonded oxygen =O at Carbon-17) and active 17beta-hydroxy steroids (potent muscle-builders with an –OH group at Carbon-17).

The Consequence: It acts as the ultimate gatekeeper of potency. 17β-HSD3/5 turns weak precursors into active muscle-builders by adding an –OH group. Conversely, 17β-HSD2 works in reverse, ripping off the hydrogen to turn active Testosterone into weak Androstenedione to neuter its anabolic power.

4. 3alpha-Hydroxysteroid Dehydrogenase (3α-HSD): The Muscle-Tissue Assassin

The Mission: Sitting in high concentrations inside skeletal muscle tissue, 3α-HSD rapidly reduces the 3-keto group of certain DHT-derived compounds into an inactive 3-hydroxy metabolite.

The Consequence: This is the reason why pure DHT, Proviron, and Masteron fail to build massive muscle mass on their own in muscle tissue! The moment these compounds step into a muscle cell, 3α-HSD pounces on them and renders them completely anabolic-inactive before they can even touch the androgen receptor.

5. Cytochrome P450 System (CYP3A4 & Hepatic Enzymes): The Liver Executioner

The Mission: The liver's ultimate detoxification machinery. These enzymes add oxygen atoms, hydroxylate steroid rings, and prepare synthetic molecules to be conjugated with glucuronide or sulfate so they can be flushed out in your urine.

The Consequence: CYP enzymes destroy unmodified oral steroids in seconds during the "first-pass" through the liver. To beat this assassin, scientists had to invent 17α-alkylation—which saves the drug from 17β-HSD and CYP enzymes but forces the liver to stress out.

3. The Bro-Science Translation Matrix

v v v

Pharmacological / Biological Metric	Academic / Lab Definition	What It Means At 6:00 AM In The Locker Room
Aromatase Over-Expression	High rate of $CYP19A1$ transcript expression in subcutaneous adipose tissue yielding elevated serum E_2.	"I looked at a slice of pizza and instantly gained 5 pounds of water weight in my ankles."
5α-Reduction Amplification	Local enzymatic conversion of testosterone into DHT in cutaneous and follicular tissue.	"My bench press went up 40 pounds, but my hairline retreated two inches into the past."
17β-HSD Keto-Reduction	Enzymatic addition of a hydroxyl group at Carbon-17 activating 17-keto precursors into active 17β-androgens.	"Old-school prohormones don't do anything until 17-HSD gives them an -OH group to turn them into real test."
3α-HSD Deactivation	Rapid enzymatic reduction of the 3-keto group in myocytes rendering DHT derivatives biologically inert.	"Proviron makes me feel like a rockstar, but it builds about as much physical mus-cle as a glass of water."

If You want to place your Ad in our newspaper please use this email:

adv@bodybuildingtimes.com

For more detailed look at this and other bodybuilding topics visit our website:

bodybuildingtimes.com

Enzymatic Fate Of Popular Anabolics

THE TALE OF THE TAPE: ENZYMATIC BEHAVIOR & FATES

Compound / Precursor	Aromatase (*CYP19A1*)	5alpha-Reductase (5-AR)	3alpha-HSD Susceptibility	17beta-HSD Action & Primary Enzymatic Fate
Androstenedione	Converts to Estrone (E_1)	Converts to 5α-Androstanedione	Low	**Activated by 17β-HSD3/5** into active Testosterone via 17-keto reduction.
Testosterone	**High** (Converts to Estradiol)	**High** (Converts to *DHT*)	Low	**Deactivated by 17β-HSD2** in liver/target tissues into weak Androstenedione.
4-Androstenediol (4-AD)	Very Low	Low	Low	**Converted rapidly by 17β-HSD3** directly into target-tissue Testosterone.
Nandrolone (Deca)	**Very Low** (~20% of Test)	**High** (Converts to weak **DHN**)	Low	**Deactivated by 17β-HSD2** into 19-norandrostenedione during clearance.
Methandrostenolone (Dbol)	**High** (Converts to 17α-methyl-E_2)	Low	Low	**Immune to 17β-HSD2** due to 17α-alkylation blocking enzymatic oxidation.
Drostanolone (Masteron)	**Zero** (Cannot aromatize)	Already 5α-reduced	**Extremely High**	Immune to Aromatase, but **3α-HSD assassinates it** inside muscle fibers.
Proviron (Mesterolone)	**Zero** (Cannot aromatize)	Already 5α-reduced	**Nuclear**	Deactivated instantly in muscle by 3α-HSD; acts as an *SHBG* sponge instead.
MENT (Trestolone)	**Very High** (~200% of Test)	None	**Low**	**Deactivated by** this enzyme 17keto-trestolone

ΛΛΛ

Master Comparison Table

4. Detailed Enzymatic Commentary: The Transformations >>> vvv

```
                [ THE 17$\beta$-HSD REVERSIBLE SWAP ]


   INACTIVE (17-Keto)                          ACTIVE (17$\beta$-Hydroxy)
Weak / Non-Binding Molecule                Muscle-Building Super-Androgen
┌──────────────────┐   17$\beta$-HSD Type 3, 5   ┌──────────────────┐
│  Androstenedione │ ──────────────────────────► │    Testosterone  │
│  (=O at Carbon 17)│ ◄──────────────────────── │   (-OH at Carbon 17) │
└──────────────────┘   17$\beta$-HSD Type 2      └──────────────────┘
```

1. The 17β-HSD Master Switch: Ketone vs. Hydroxyl Toggle

The androgen receptor is exceptionally picky. To bind tightly to a muscle cell's androgen receptor, a steroid molecule must have a 17β-hydroxyl group (–OH) on the 17th carbon atom. If that position has a double-bonded oxygen (=O), it is an inactive 17-keto steroid.

Activation: Isoenzymes like 17β-HSD Type 3 and 17β-HSD Type 5 take weak 17-keto precursor molecules and attach a hydrogen atom to convert the ketone into an active 17β-hydroxyl group (–OH), creating active Testosterone.

Inactivation & Resistance: Isoenzymes like 17β-HSD Type 2 work in reverse, ripping off the hydrogen to turn active Testosterone back into weak Androstenedione. To block 17β-HSD2 from destroying synthetic orals, scientists invented 17α-alkylation (adding a methyl group at Carbon-17), making molecules like Dianabol and Anavar completely indestructible to this enzyme.

2. The Aromatase Mutants: Testosterone vs. Dianabol

When Aromatase grabs natural Testosterone, it converts it into standard Estradiol (E2), easily managed with light aromatase inhibitors. However, when Aromatase interacts with Dianabol, the 17α-methyl group attached to protect it from 17β-HSD forces Aromatase to convert it into 17alpha-methyl-estradiol. This mutated estrogen binds receptors like superglue and causes rapid water bloat.

3. The 5-AR Paradox: Testosterone vs. Nandrolone Deca

5α-Reductase is usually an amplifier (converting Testosterone to hyper-androgenic DHT). However, when 5-AR encounters Nandrolone (Deca), it converts it into Dihydronandrolone (DHN)—an extremely weak androgen. This makes Deca friendly to scalp hair, but if you take a 5-AR inhibitor like Finasteride on Deca, raw Nandrolone floods your scalp and prostate, causing severe hair loss instead!

4. The Muscle Assassins: Proviron & Masteron

Proviron and Masteron are incredible DHT derivatives for cosmetic hardening. Yet, inside skeletal muscle tissue, 3alpha-Hydroxysteroid Dehydrogenase (3α-HSD) instantly grabs their 3-keto group and converts them into inactive alcohol metabolites. Before Proviron can even shake hands with the androgen receptor inside your bicep, 3α-HSD has already assassinated it.

5. The CYP3A4 Gatekeeper: First-Pass Clearance & Bioavailability Boosters Located predominantly in the liver and intestinal mucosa, CYP3A4 is the primary cytochrome P450 enzyme responsible for oxidative metabolism and clearance of exogenous anabolic steroids. It breaks down steroid molecules by adding hydroxyl groups, rendering them water-soluble for excretion.

The Bioavailability Barrier: Non-17α-alkylated oral steroids are rapidly recognized and oxidized by CYP3A4 on their first pass through the liver, rendering them nearly inactive before reaching systemic circulation. CYP3A4 Inhibition Strategy: To bypass rapid CYP3A4 breakdown, certain synthetic compounds rely on structural modifications or enzyme inhibition. For instance, co-administering CYP3A inhibitors (such as grapefruit juice or specific pharmaceuticals).

6. Concluding Summary: Outsmarting the Metabolic Mechanics

Understanding enzymatic fate is the ultimate cheat code for understanding how performance compounds actually work in the real world:

Master 17β-HSD and 3α-HSD to recognize why 17α-alkylated oral steroids survive while pure DHT derivatives get neutralized in muscle fibers.

Control Aromatase if you want dry, high-quality muscle gains without holding liquid or spiking blood pressure.

Respect 5α-Reductase, knowing that blocking it helps hair on Testosterone cycles, but ruins hair and performance on Deca cycles.

Your body's enzymes are always active, looking to transform, mutate, or destroy whatever compound you introduce. Check your blood panels, monitor your estrogen (E2) levels, understand the metabolic pathways, and never let bro-science override actual enzymology.

For more detailed look at this and other bodybuilding topics visit our website:

bodybuildingtimes.com

ENZYME CHOPPING BLOCK HALL OF FAME AWARDS

- THE "PROHORMONE SAVIOR & ASSASSIN" AWARD: 17β-Hydroxysteroid Dehydrogenase (17β-HSD)
  For single-handedly deciding whether a molecule builds bicep tissue or gets neutered into an inactive metabolite based entirely on a single oxygen-hydrogen bond at Carbon-17.

- THE "WATER-BALLOON CREATOR" AWARD: Aromatase (CYP19A1)
  For turning pristine anabolic testosterone cycles into 10 pounds of soft, ankle-swelling water bloat.


- THE "BICEP ASSASSIN" AWARD: 3α-Hydroxysteroid Dehydrogenase
  For murdering Proviron and Masteron inside muscle cells before they can build a single gram of new muscle tissue.

THE SCIENCE & THE BRO-SCIENCE

1. Decoding the Molecular Mechanics: Beyond the Locker Room Gossip

When you step into any hardcore powerlifting gym or bodybuilding cavern at six in the morning, you will inevitably hear wild tales about performance-enhancing compounds. You'll hear about oils that magically melt fat while you eat pizza, or oral tabs that turn a quiet accountant into a hyper-aggressive silverback gorilla in twenty minutes. But if you strip away the urban legends, the hyperbole, and the guy named "Big Dave" who swears by drinking raw egg yolks mixed with pre-workout, performance enhancement comes down to a precise, elegant, and sometimes completely unforgiving dance of endocrinology.

To understand why one milligram of Compound A builds three times more tissue than one milligram of Compound B, we have to look past the shiny bottle and examine the microscopic interaction occurring inside your skeletal muscle cells. Specifically, we have to look at the Androgen Receptor (AR), a nuclear receptor that sits waiting inside your cell's cytoplasm like a tiny, hungry bouncer outside an exclusive nightclub.



The Core Pharmacological Metrics Defined:

• Inhibition Constant (Ki) & Binding Affinity: In layman's terms, Ki measures how tightly a compound locks onto the Androgen Receptor. A lower number means a tighter grip. A compound with a low Ki locks onto the receptor like a pitbull on a chew toy—it refuses to let go, triggering endless waves of muscle-building instructions. A compound with a high Ki acts more like a awkward, hesitant high-five: it taps the receptor, feels uncomfortable, and immediately floats away into your bloodstream

• Effective Concentration (EC50): This metric measures how much of a drug you need in your system to get 50% of its absolute maximum effect. Simply put: is this compound a high-octane rocket fuel or a diluted lemonade? A low EC50 means a tiny drop packs an absolute wallop. A high EC50 means you have to swallow massive amounts of the stuff just to convince your biceps that it's time to grow.

• The Anabolic vs. Androgenic Ratio (A:A Ratio): Benchmark tests originally performed on castrated lab rats (who were thoroughly unimpressed with their gains) compare a drug's muscle-building ability (anabolic) against its prostate-enlarging, hair-thinning ability (androgenic). Everything in pharmacology is benchmarked against natural Testosterone, which sits at a baseline of 100:100 (1:1).

o High Anabolic Score: You pack on dense, rock-hard muscle tissue and look like an action figure drawn by a comic book artist.

o High Androgenic Score: Your jawline hardens, your back breaks out in acne, and you find yourself wanting to physically fight the gym's paper towel dispenser because it ran out of paper.

2. The Bro-Science Translation Matrix

Because peer-reviewed medical journals rarely speak "Locker Room," use this decoder key (on the right top) to understand what the local gym regulars are actually trying to say.

Pharmacological Metric	Academic / Lab Definition	What It Means At 6:00 AM In The Locker Room
High AR Affinity (*Low Ki*)	Tightly binds the nuclear receptor, driving prolonged genomic transcription and HPTA suppression.	"Bro, this stuff rewrote my DNA. I literally felt my bench press go up while I was asleep."
High Anabolic Selectivity	Favorable tissue-selective expression favoring skeletal muscle tissue over sebaceous and cardiac tissue.	"All muscle, zero drama. My skin is clearer than my life choices right now."
Aromatase Substrate Susceptibility	Enzymatic conversion of the C_{19} steroid backbone into C_{18} estrogens via the $CYP19A1$ enzyme complex.	"I looked at a picture of a muffin on Instagram and gained 4 lbs of water weight in my ankles."
5α-Reductase Amplification	Enzymatic reduction of the $\Delta 4-3$-one structure, creating hyper-androgenic metabolites (DHT derivatives).	"My squat went up 50 pounds, but my hairline permanently retreated two inches into the past."

3. Detailed Compou-nd Commentary: The Good, The Bad, & The Absurd. The Golden Baseline: Testosterone (100:100)

Every discussion about performance enhancement must start with good old-fashioned Testosterone. It is the molecular baseline against which all synthetic compounds are judged. With a perfectly balanced anabolic-to-androgenic ratio of 100:100, Testosterone is the biological equivalent of a trusty 1998 Honda Civic—it isn't fancy, but if you treat it right, it will run forever.

Inside the body, Testosterone acts like a double agent. It converts via the 5-alpha reductase enzyme into DHT (which gives you drive, strength, and an unfortunate urge to buy hair-loss shampoo), while simultaneously converting via the aromatase enzyme into Estrogen (E2). Without that estrogen, your joints dry up, your cholesterol looks like a financial crash, and and your mood drops through the floor. Testosterone remains king because it keeps all your basic bodily plumbing working as intended.

The Unhinged Monster: Trenbolone (500:500)

If Testosterone is a reliable Honda Civic, Trenbolone is an unregulated, double-turbocharged monster truck with no brakes, steering wheel, or safety belts. With an A:A ratio of 500:500, Trenbolone is five times more muscle-building and five times more androgenic than natural testosterone. Its Ki value reveals a binding affinity so terrifyingly strong that it violently shoves other molecules out of the way to grab the receptor. Because Trenbolone cannot convert into estrogen, you gain zero water bloat. You turn into a vein-covered slab of granite. The catch? Trenbolone doesn't just bind to androgen receptors—it hijacks progesterone receptors and messes with your brain chemistry. The result is a legendary list of side effects: waking up at 3:00 AM completely drenched in sweat, gasping for air after walking up four stairs, and becoming convinced that your neighbor's golden retriever is plotting against you. It builds unreal physiques, but it tests your sanity every step of the way.

The Hollywood Favorite: Oxandrolone / Anavar (322–630 : 24)

Anavar is the polite, well-mannered gentleman of the anabolic world. Designed in the 1960s, it boasts an impressive anabolic score over 300 paired with a tiny androgenic rating of 24. It builds clean, lean tissue without giving you severe acne or making your hair fall out.

Because it doesn't convert to estrogen, Anavar won't turn you into a bloated water balloon. It is famous for giving athletes a hard, tight, vacuum-packed look, which is why it is immensely popular among bikini competitors, sprinters, and movie stars who need to look shredded for a shirt-off scene in three weeks. The downside? Real Anavar is notoriously expensive, meaning half the stuff bought on the street is actually cheap Dianabol crushed up in a basement.

The Heavyweight Water-Carrier: Oxymetholone / Anadrol (320 : 45)

If Anavar is a precise scalpel, Anadrol is a heavy rusty sledgehammer. Anadrol is famous

The Comprehensive Comparison Table On the right

Compound Name	Anabolic Rating	Androgenic Rating	A:A Ratio	Relative Ki (AR Affinity)	Primary Metabolic Fate & Real-World Behavior
Testosterone	100	100	1 to 1	Baseline	The Golden Standard. Converts to DHT and Estrogen. Predictable, foundational, time-tested.
Nandrolone (Deca)	125	37	3.3 to 1	High	Soft on joints, rough on bedroom performance. Converts to weak DHN.
Trenbolone	500	500	1 to 1	Extremely High	+50 lbs on Bench Press; +100% chance of paranoia and sweating through your mattress at 3 AM.
Oxandrolone (Anavar)	322-630	24	~13–24 to 1	Low-Moderate	The Hollywood favorite. Zero bloat, great muscle retention, costs a small mortgage.
Methandrostenolone (Dbol)	90-210	40-60	~3 to 1	Low (Non-AR pathways)	Arnold's breakfast cereal. Holds more water than a local municipal reservoir.
Stanozolol (Winstrol)	320	30	~10 to 1	High	Turns muscle into granite; turns joint cartilage into squeaky dry chalk.
Oxymetholone (Anadrol)	320	45	~7 to 1	Very Low	Adds 20 lbs in a week-18 lbs of which is raw fluid retention and sheer aggression.
Drostanolone (Masteron)	62-130	25-40	~3 to 1	Moderate-High	The cosmetic finisher. Zero fat, maximum vascularity, makes you look like a Greek statue.
Methenolone (Primo)	88	44-57	~2 to 1	High	Premium, high-quality gains that bankrupt your savings account in under 8 weeks.
Boldenone (Equipoise)	100	50	2 to1	Low-Moderate	Originally engineered for horses; will make you eat your entire refrigerator in one sitting.
Fluoxymesterone (Halo)	1900	850	~2.2 to1	Very High	Zero actual muscle size added; pure unadulterated strength, red blood cells, and rage.
Turinabol (Tbol)	100+	Low	High	Low-Moderate	The old East German Olympic secret. Clean, steady progress without turning into a water balloon.
Methasterone (Superdrol)	400	20	20 to1	High	Builds mind-blowing muscle mass while making you feel like a exhausted, hibernating bear.
Mesterolone (Proviron)	100-150	30-40	3-4 to 1	High	The ultimate wingman compound. Binds up SHBG so your other compounds can work harder.
DHB (1-Testosterone)	200	100	2 to1	Extremely High	Gives an incredible, razor-sharp physique look; feels like getting kicked by a mule post-injection.

```
                    OFFICIAL UNREALISTIC GAINS AWARD SHOW
-------------------------------------------------------------------------------------------------------
  • THE "I CAN HEAR COLORS AT 3 AM" AWARD: Trenbolone Acetate
    For binding to androgen receptors so violently that your brain completely forgets how sleep works.

  • THE "MY BANK ACCOUNT IS NORMALLY HIGHER THAN THIS" AWARD: Primobolan Enanthate
    For delivering smooth, dry, premium muscle mass while costing as much as a used sedan.

  • THE "WHY ARE MY KNEES SQUEAKING?" AWARD: Stanozolol (Winstrol)
    For drying out subcutaneous water so thoroughly that your joints sound like rusty door hinges.
=======================================================================================================
```

famous for causing rapid, mind-blowing spikes in body weight and strength within days. It forces your muscles to absorb so much glycogen and water that you feel like a walking, over-inflated balloon.
Oddly enough, Anadrol actually has a weak direct grip on the androgen receptor (high Ki). It does its heavy lifting through non-AR pathways and by ramping up red blood cell creation. The muscle pumps on Anadrol are so extreme that tying your shoes before a workout can leave your lower back feeling like it's going to burst. Even though it can't convert to estrogen, it somehow activates estrogen receptors directly—meaning you can wake up with watery ankles and a soft jawline practically overnight.

The Joint-Soothing Heavyweight: Nandrolone / Deca-Durabolin (125 : 37)

Nandrolone is the ultimate paradox in anabolic pharmacology. By removing the 19th carbon atom from testosterone, scientists created a compound that binds tightly to the AR, yet acts exceptionally mild in hair follicles and skin. Why? Because when 5α-reductase interacts with Nandrolone, it doesn't create harsh DHT—it creates DHN (Dihydronandrolone), a weak metabolite that barely scratches androgen receptors in your scalp.
Deca is world-famous for making aching joints feel like they've been greased by an elite pit crew, thanks to deep fluid retention in synovial tissues and massive collagen synthesis spikes. However, its heavy interaction with progesterone receptors earned it the dreaded locker-room moniker "Deca Dick." It builds dense, thick muscle mass, but unless paired carefully with an androgenic base, your romantic life will be placed on indefinite pause.

The Classic Mass-Builder: Methandro-stenolone/ Dianabol (90–210 : 40–60)

Dianabol is the undisputed godfather of oral bodybuilding compounds—Arnold's legendary breakfast cereal. Engineered in the 1950s specifically to outperform Soviet athletes, Dbol features a double bond at carbon 1 and 2 paired with a 17α-methyl group. This structural tweak allows it to sail straight through liver first-pass metabolism while keeping its direct androgen receptor binding affinity surprisingly low (K_i).Instead of relying solely on standard nuclear receptor binding, Dianabol works its magic through aggressive non-genomic pathways, massive nitrogen retention, and raw cellular glycogen loading. The catch? When aromatase gets a hold of Dianabol, the 17α-methyl group turns it into 17α-methyl-estradiol—a mutated, hyper-potent estrogen that resists normal breakdown. The result is instant, staggering strength gains accompanied by enough water retention to turn your ankles into soft water balloons overnight.

The Cosmetic Polish: Drostanolo-ne / Masteron (62–130 : 25–40)

If Dianabol is a messy water bucket, Masteron is a high-powered industrial leaf blower designed to blast away every last drop of subcutaneous fluid. Derived directly from DHT by adding a 2α-methyl group, Masteron was built with a specific structural trick: the methyl addition prevents the muscle enzyme 3α-HSD from instantly deactivating it upon entering skeletal muscle tissue.Masteron possesses moderate binding affinity to the androgen receptor, but its true claim to fame is its ability to act as a mild anti-estrogen and a fierce SHBG sink. By hogging binding proteins, it frees upother circulating compounds while actively suppressing estrogenic fluid retention. When taken at low body fat levels, it shrinks subcutaneous water, sharpens vascularity, and gives muscle bellies a rock-hard, 3D polished look—though if used at 15% body fat, you'll mostly just end up with dry joints and a shiny forehead.

The Squeaky Joint Granite-Maker: Stanozolol / Winstrol (320 : 30)

Winstrol is a unique biochemical oddity: scientists took a DHT backbone and fused a pyrazole ring directly onto the A-ring of the steroid structure. This modification gives it a towering anabolic score over 300 paired with a low androgenic rating, alongside an remarkably strong binding affinity (K_i) for the androgen receptor.Winstrol turns soft muscle tissue into granite and carves out razor-sharp striations by aggressively downregulating subcutaneous fluid and suppressing SHBG levels. However, this dry, grainy look comes at a steep physical price. Winstrol aggressively pulls fluid out of synovial joint capsules, making your knees and elbows sound like squeaky, ungreased door hinges when you squat. Combined with its 17α-alkylated liver toxicity and a lipid profile that plummets your HDL cholesterol into the basement, Winstrol is the ultimate high-reward, high-friction contest-prep tool.

The Underground Anabolic Heavywei-ght: MENT / Tresto-lone 7alpha-Methyl 19-NorTestosterone

If Nandrolone is a calm quarter horse, Trestolone (MENT)—the 7α-methyl derivative of Nandrolone—is a runaway nuclear reactor. By adding a methyl group at the 7α position, chemists prevented the molecule from binding to SHBG while boosting its anabolic potency to a staggering 10 to 23 times that of baseline Testosterone, paired witha Ki so low it grips androgen receptors with an iron vice.
Originally researched as a male contraceptive because it rapidly shuts down pituitary gonadotropins, MENT builds jaw-dropping amounts of dense muscle mass at tiny milligram doses. However, managing MENT requires absolute mastery of endocrinology: despite being a 19-nor derivative, it aromatizes heavily into 7α-methyl-estradiol, an aggressive estrogen variant that can cause extreme fluid retention and blood pressure spikes if your aromatase management isn't dialed in with laser precision.

The Bank Account Destroyer: Methenolone / Primobolan (88 : 44–57)

Primobolan is the refined, high-society aristocrat of the anabolic world. Derived from DHT with a 1-methyl group added to allow oral survival (or attached to an Enanthate ester for injection), Primo boasts an exceptionally smooth biological profile that yields clean, steady, lean tissue retention with virtually zero side effects.

Because it cannot aromatize into estrogen, Primobolan causes zero water retention, zero gynecomastia, and zero blood pressure spikes. It binds to the androgen receptor with a polite, firm grip, keeping your mood stable while protecting muscle tissue during severe caloric deficits. The downside? Producing real Primobolan is absurdly expensive. Running an effective dose will liquidate your savings account faster than a bad week on Wall Street, leading half the gym to unknowingly inject cheap Testosterone Propionate labeled with a fancy gold foil tag.

The Stallion Appetite Multiplier: Boldenone / Equipoise (100 : 50)

Originally synthesized in an attempt to create a long-acting injectable Dianabol without the C17α-alkylated liver damage, Boldenone ended up becoming its own unique beast. By altering the structure, chemists reduced its aromatization rate to roughly half that of natural testosterone, while giving it a long, slow-releasing Undecylenate ester chain.

Equipoise yields steady, high-quality muscle growth over long periods, but its true reputation comes from its effect on red blood cell production and digestion. EQ drives erythropoietin (EPO) synthesis through the roof, turning your veins into roadmap highways and dramatically boosting muscular endurance. However, this massive red blood cell surge comes with a hilarious side effect: it stimulates hunger signaling so aggressively that you'll find yourself standing in front of an open refrigerator at midnight, contemplating eating an entire raw turkey.

The Needlessly Painful Shredder: DHB/1-Testosterone (Dihydroboldenone) (200 : 100)

Because it is already 5alpha-reduced boldenone, it cannot convert to DHT, nor can it aromatize into estrogen. This yields lean, rock-hard muscle gains with zero fluid retention

4. Concluding Sum-mary: Respect the Biology

Understanding Ki values, A:A ratios, and binding kinetics isn't just about showing off smart terms at the gym—it's about understanding that there is no free lunch in human pharmacology:


- Compounds that don't aromatize (like Winstrol or Trenbolone) might make you look shredded, but your joints and cholesterol will pay a heavy toll.
- Compounds that drive rapid strength (like Anadrol or Halotestin) put significant stress on your liver and blood pressure.
- Chasing astronomical binding affinities usually trades physical size for sleep deprivation and extreme irritability.

Muscle growth is fundamentally governed by recovery, training intensity, nutrition, and organ health. Performance compounds can speed up the signaling process, but they cannot bypass basic biological reality. Keep your cardiovascular health locked in, check your bloodwork regularly, protect your liver, and never let bro-science replace actual medical knowledge.

The Pharma-to-UGL Paradox

```
================================================================================================================
                                    THE PHARMA-TO-UGL PARADOX
    Why Patients with Legitimate Prescriptions Ditch Pharmacies for Homebrew Vials, Shady Websites, & Black-Market Anabolics
----------------------------------------------------------------------------------------------------------------
             Written by Science-Bros, Reviewed by Frustrated TRT Patients, Feared by Greedy Pharmacies
================================================================================================================
```

THE SYSTEM BREAKDOWN (WHY PHARMA LOSES) >>>



1. The Irony of Modern HRT & Medical Care

You finally jump through all the hoops: you get bloodwork done, talk to a primary care doctor, get diagnosed with clinically low testosterone, and secure a legal prescription. You should be set for life—safe, legal, and medically supervised.

Yet, within six months, a massive percentage of prescriptiton holders com-pletely abandon the medical system and start buying under-ground gear from sketchy web-sites.

Why do guys voluntarily swap FDA-regulated pharmacy gold for homebrewed underground vials? It isn't just about being cheap—it's driven by broken medical protocols, absurd insurance pricing, rigid dosing schedules, and doctors who refuse to manage side effects or explore complementary compounds.

2. The 4 Major Drivers Pushing Patients to the Black Market

1. The Financial Reality (The Markup Insanity)

The Medical Reality: Without top-tier insurance, a standard clinic or pharmacy setup can cost $100 to $250 per month once you factor in consultation fees, required blood tests, and marked-up compound prices.

The UGL Alternative: A single 10 mL underground vial of Testosterone Enanthate (250 mg/mL) costs roughly $25 to $40. At a standard replacement dose (125 mg/week), one single UGL vial lasts 20 weeks. That works out to less than $10 a month.

2. Outdated Medical Protocols ("The Bi-Weekly Roller Coaster")

The Medical Reality: Many general practitioners still follow protocol guidelines written in the 1980s, prescribing 200 mg of Testosterone Cypionate once every 14 days, or even once a month.

Why It Fails: The half-life of Testosterone Cypionate is roughly 7–8 days. Injecting every 14 days causes total testosterone to spike to astronomical levels on day 2, and then crash down to near-zero levels by day 12—leaving the patient anxious, depressed, fatigued, and covered in acne.

The UGL Alternative: On the black market, self-directed users buy extra gear and insulin syringes, enabling them to split their injections into micro-doses 3 times a week or daily (ED/EOD) for smooth, stable hormone levels.

3. The "Testosterone Isn't Perfect" Problem

The Medical Reality: Testosterone is a raw, unrefined native hormone. Once inside the body, it readily converts via the 5α-reductase enzyme into DHT (causing hair loss and prostate strain) and via the aromatase enzyme into Estradiol (E2) (causing water retention, gynecomastia, and mood swings).

The UGL Alternative: When patients report high E2 or DHT side effects to standard doctors, the doctor's default response is often to cut the dose back down to low levels, returning the patient to feeling terrible. UGL users instead source refined synthetic derivatives—like Masteron (to control estrogenic symptoms without AIs) or Anavar / Primobolan (which don't aromatize into estrogen and offer joint relief without blood pressure spikes).

4. Doctor Aversion to Anabolic Nuance

The Medical Reality: Most mainstream physicians are trained in general medicine, not sports endocrinology or anabolic chemistry. They panic at the sight of a slightly elevated hematocrit or an E2 reading of 45 pg/mL. Rather than fine-tuning ratios, they threaten to terminate the patient's prescription entirely.

The UGL Alternative: Pa-///nts realize they can monitor their own bloodwork via direct-to-consumer lab portals, adjust their own dosing ratios, and manage side effects through peer-reviewed self-education without arguing with an reluctant physician every 3 months.

When STEROIDS Fail — Introducing Growth Factors & Peptides

Testosterone monotherapy builds muscle, but it eventually hits a biological wall. Anabolic steroids expand contractile protein, but they do NOT repair fried tendons, expand the extracellular matrix, or incinerate stubborn visceral fat.

When clinic doctors refuse to touch growth factors, athletes turn to the UGL peptide underground.

3. The Bro-Science Translation Matrix (Clinic vs. UGL) vvv

Medical Clinic Approach	What Happens To The Patient	Why The Patient Switches To UGL
"Inject 200mg once every 2 weeks in our office."	Massive peak spike on Day 2, severe mental crash and brain fog on Day 12.	"I bought my own vials so I can pin 30mg every morning at home and feel consistent."
"Your Estradiol is slightly high, so we must cut your testosterone dose in half."	Total testosterone drops back to low levels; symptoms of hypogonadism return.	"I added low-dose Primobolan/Masteron to manage estrogen without tanking my total T."
"Insurance refused your coverage because your test was 301 ng/dL instead of 299 ng/dL."	Forced to pay $200/month out-of-pocket for a basic hormone prescription.	"I bought 3 years worth of raw testosterone for the price of one clinic visit."
"Your joints hurt? We don't prescribe anything other than basic Testosterone."	Testosterone alone does not heal connective tissue or collagen synthesis directly.	"I sourced low-dose Nandrolone (NPP/Deca) or Anavar to lubricate my joints."

1. The Joint-Saver: HGH (Human Growth Hormone) vs. Deca-Durabolin

• The Clinic Blunder: Doctors give you NSAIDs or Cortisone shots—which actively degrade joint cartilage over time.

• The UGL Solution: Underground HGH (or secretagogues like MK-677) drives Type I and III Collagen synthesis,

thickening tendons and coating joints in protective fluid while burning fat via direct lipolysis.

`

2. The Satellite Cell Booster: IGF-1 LR3 & PEG-MGF

• The Ceiling Problem: Steroids eventually hit the "Myonuclear Domain Limit"—your existing cell nuclei cannot manage

any more protein volume.

• The Peptide Bypass: Underground users deploy PEG-MGF to divide sleeping satellite stem cells, followed by

IGF-1 LR3 to force those cells to differentiate and donate their nuclei directly into existing (catabolism).fibers.

3. The Insulin Hydraulic Press (The Ultimate Anabolic)

• The Ultimate Taboo: Mentioning insulin in a commercial clinic gets you flagged as a lunatic.

• The Black Market Reality: Advanced bodybuilders use rapid-acting underground or grey-market insulin (Humalog/Novolog)

to forcibly shuttle glucose, potassium, and amino acids directly into starved myocytes, completely shutting down

muscle protein breakdown

For more detailed look at this and other bodybuilding topics visit our website: bodybuildingtimes.com

The Component Comparison & Paradox Matrix

THE TALE OF THE TAPE: PHARMA VS. UGL

4. Why Testosterone Monotherapy Falls Short >>> vvv

1. The Estrogen Ratios Problem

Testosterone is converted into Estradiol (E2) by the aromatase enzyme. When you increase testosterone doses to optimize wellness, E2 climbs along with it.

Standard medical doctors often respond by prescribing heavy doses of harsh Aromatase Inhibitors (AIs) like Arimidex or Letrozole. This often overcorrects—crushing the patient's estrogen to single digits and causing:

Severe joint pain and stiffness

Crashed HDL ("good") cholesterol

Extreme fatigue, depression, and loss of libido

2. The Synthetic Alternative (Why Guys Want Other Compounds)

Underground users frequently utilize non-aromatizing anabolic compounds to bypass the side effects of pure testosterone monotherapy:

Primobolan (Methenolone): Acts as a mild, natural aromatase inhibitor when stacked with testosterone, keeping E2 in check without the harsh joint-crushing effects of pharmaceutical AIs.

Masteron (Drostanolone): A DHT derivative that masks high-estrogen side effects, improves mood, and keeps water retention low without wiping out estrogen entirely.

Oxandrolone (Anavar): Promotes tissue repair and strength without converting to estrogen or causing systemic bloat, making it popular for joint and recovery support.

Master Feature Compa-rison: The Medical Sys-tem vs. Self-Directed UGL Use

Factor	Official Prescription / HRT Clinic	Black Market / UGL Route
Monthly Cost	**$100 – $300 / month** (Consults + Rx + Fees)	**$5 – $15 / month** (Bulk vials)
Purity & Safety	100% Sterile, FDA/Pharma Quality Controlled	Variable (Requires third-party HPLC lab testing)
Dosing Frequency	Often rigid (e.g., bi-weekly or weekly clinic visits)	Completely flexible (Daily, EOD, SubQ, IM)
Compound Access	Pure Testosterone only (rarely Deca/Anavar)	Full spectrum (Test, Primo, Mast, Anavar, HGH, Peptides)
Side Effect Protocol	Dose reduction or aggressive AIs (Arimidex)	Micro-dosing, ratio management, or DHT derivatives
Doctor Friction	High (Threats to pull prescription over minor lab shifts)	Zero (Self-monitored via private laboratory orders)

5. Concluding Summa-ry: The Systemic Irony

Patients want control and stability: The jump from legal prescriptions to UGLs is rarely driven by a desire to break the law—it is driven by a search for stable protocols, lower costs, and side-effect management.

Medical education needs an update: Until general practitioners learn modern sports endocrinology, micro-dosing protocols, and side-effect mitigation, frustrated patients will continue fleeing the clinic for homebrewed alternatives.

Harm reduction is key: If a patient chooses the UGL route, self-directed education, regular private bloodwork, and third-party HPLC lab verification are the only protections against bad gear and compromised health.

The Bureaucratic Gauntlet VS. The UGL FAST-Track

To understand why athletes desert the medical establishment, one only needs to look at the absurd contrast between navigating the official healthcare system and taking matters into your own hands.

Getting a legal testosterone prescription is a exhausting administrative ordeal designed by insurance risk managers.

It begins with Step 1, where you spend three weeks waiting for a primary care appointment, only to be ordered to take a fasting blood test at precisely 8:00 AM because your doctor believes your testosterone disappears like a ghost after breakfast.

Next comes Step 2: your results return at a miserable 270 ng/dL, but your physician refuses to treat you because the official insurance chart considers 264 ng/dL to be the baseline for a healthy, thriving human male.

After begging for a referral, you reach Step 3, where a specialized endocrinologist demands a second blood test, a brain MRI to rule out a pituitary tumor, and a sleep study to check if your fatigue is just heavy snoring.

Once cleared, Step 4 delivers the prize: a prescription for 100 mg of Testosterone Enanthate every two weeks, paired with an angry retail pharmacy counter, where a suspicious pharmacist eyes you like a international cartel kingpin, informs you that insurance denied coverage for the syringes, and demands $180 for a tiny 1 mL glass ampoule.

By contrast, the underground route operates with the frictionless efficiency of a modern drive-thru.

Step 1: You open a web browser on a encrypted laptop and visit a forum where anonymous muscle enthusiasts evaluate compound purities using advanced lab testing.

Step 2: You select a 10 mL vial of Testosterone, add two boxes of Masteron for estrogen management, throw in a pack of Anavar just for fun, and check out using crypto in under ninety seconds.

Step 3: Four days later, a discreet, plain cardboard box arrives on your doorstep containing enough high-dosed anabolics to power an entire Olympic lifting team through an international competition, all for less than the price of a fancy dinner.

The medical system treats a vital human hormone like liquid plutonium, requiring endless paperwork and patronizing lectures. The black market treats it like any other commercial product: fast, cheap, and delivered right to your door.

[THE PARADOXICAL CHOICE FACING PATIENTS]

OFFICIAL PHARMACY ROUTE		UNDERGROUND (UGL) ROUTE
• 100% Pure & Sterile		• Variable Quality / Risk
• Highly Expensive		• Extremely Low Cost
• Rigid 2-Week Protocols	VS	• Complete Dosing Freedom
• Monotherapy (Test Only)		• Access to Adjunct Compounds
• Fearful / Rigid Doctors		• Self-Directed Bloodwork


For more detailed look at this and other bodybuilding topics visit our website: bodybuildingtimes.com

PHARMA PARADOX HALL OF FAME AWARDS

- THE "ROLLER COASTER" AWARD: The 200mg Bi-Weekly Prescription
  For forcing patients into a crazy hormonal spike on Monday and a deep depressive baseline crash two Fridays later.
- THE "GOLDEN VIAL" AWARD: $150 Pharmacy Testosterone
  For charging $150 for a single 10mL vial that cost $1.20 to manufacture in a pharmaceutical cleanroom.
- THE "PANIC BUTTON" AWARD: The Reluctant Primary Care Doctor
  For threatening to instantly cancel a patient's prescription because their hematocrit hit 50.1%.

Pharma-Exile: Why Bodybuilders Relocate to Anabolic Sanctuaries

```
==========================================================================================
                PHARMA-EXILE: WHY BODYBUILDERS MOVE PERMANENTLY TO GEAR MECCAS
        OTC Steroids, Zero Legal Panic, Human-Grade Purity, & Tropical Cost-of-Living Exploits
------------------------------------------------------------------------------------------
            Written by Science-Bros, Reviewed by Exhausted Customs Agents, Feared by Local Gym Owners
==========================================================================================
```



THE DRIVERS OF ANABOLIC MIGRATION >>>

vvv

1. The Exodus from Controlled Substance Classifications

In North America, Western Europe, and Australia, anabolic steroids carry heavy criminal classifications (Schedule III in the US, Class C in the UK, strict import bans in Australia). For a dedicated blast-and-cruiser, living under these laws means dealing with underground labs (UGLs), suspicious mailboxes, and constant legal anxiety.

Enter the Anabolic Haven Sanctuary Model: moving to countries (like Thailand, Mexico, Turkey, or Egypt) where anabolic-androgenic steroids are either legal for OTC pharmacy purchase, decriminalized, or available with a simple $10 walk-in prescription.

2. Deep-Dive: The 4 Primary Migration Drivers

1. Absolute Legal Immunity (Bye-Bye Paranoia)

The Reality: In countries like Thailand, Mexico, or Turkey, pharmacies sell Testosterone, Sustanon, Primobolan, and Oxandrolone directly over the counter.

The Psychological Shift: No more intercept letters from customs agents, no more bitcoin transfers to sketchy offshore websites, and zero fear of law enforcement knocking down your front door over a box of Trenbolone

2. Pharmaceutical-Grade Quality Assurance (Good-Bye Bathtub Chemistry)

The Reality: Underground labs (UGLs) operate in basements, leading to uneven dosing, heavy metal contamination, carrier oil infections, and PIP (post-injection pain).

The Upgrade: Relocating gives access to Good Manufacturing Practice (GMP) pharma ampoules (like Bayer Sustanon or Organon Deca). You get sterile glass ampoules, precise milligram dosage, and zero risk of injecting filtered motor oil.

3. The Cost-of-Living & Food-to-Gear Ratio Arbitrage

The Reality: Running a high-dose pro-level cycle in the US or UK costs thousands of dollars per month when factoring in ancillary drugs (AIs, HCG, growth hormone, lab work).

The Math: In pharmacy havens, legitimate growth hormone and pharma-grade Test cost a fraction of Western prices. Combined with $2 chicken-and-rice meals and $30/month hardcore gym memberships, a bodybuilder's entire monthly budget drops by 70%.

4. Gym-Centric Ecosystems & Climate Advantages

The Reality: Cold climates force year-round sweater living and seasonal affective depression, while Western commercial gyms threaten to ban members for chalk or heavy deadlift noises.

The Paradise: Destinations like Phuket (Soi Ta-ied) or Tulum feature open-air, bodybuilding-first mega-gyms where everybody is on the same mission, the sun shines year-round (boosting natural vitamin D and mood), and bodybuilding is an accepted lifestyle rather than an underground taboo.

THE PHARMACY COUNTER BARRICADE VS. THE OTC TROPICAL DREAM

To fully grasp the psychological state of an anabolic refugee, one must contrast the humiliating ritual of a Western pharmacy run with the surreal bliss of an over-the-counter paradise.

In the West, attempting to secure basic ancillary compounds like Anastrozole or Tamoxifen involves a gauntlet of bureaucratic interrogation.

First, you stand in an artificially lit retail chain pharmacy line behind someone buying birthday cards. When your turn arrives, a nervous pharmacist in a lab coat scrutinizes your prescription like it is a forged state document, asks loudly if you understand the risks of deep vein thrombosis, and informs you that your insurance requires a three-day "prior authorization" hold before releasing four tiny pills.

Now, contrast this with stepping out of the humid 90-degree heat into a brightly lit pharmacy along the main strip of Soi Ta -ied in Phuket or a coastal avenue in Cancun.

You walk up to the counter in a sweat-soaked tank top. You do not hand over an insurance card, a medical history, or a signed doctor's note. Instead, you simply point to a glass display case stocked with pharmaceutical-grade Bayer Sustanon ampoules, Organon Deca, and real Genotropin HGH pens sitting right next to the chewing gum and sunscreen.

The clerk does not judge your hematocrit, interrogate your life choices, or demand a blood test. They simply ring up your items on a cash register, slide your pharmaceutical-grade haul into a thin plastic shopping bag, and wish you a great workout. There are no computer databases logging your name, no insurance rejections, and no lingering fear that a federal agent is tracking your package.

Destination	Primary Legal Status	Popular Pharmacy Gear	What The Lifestyle Looks Like
Thailand (Phuket/Pattaya)	OTC / Tolerated Pharmacy Sales	Test E, Anavar, Danabol DS, HGH	"You rent a villa, ride a scooter to Muscle Beach, and pick up Bayer Test at the corner pharmacy."
Mexico (Tijuana/Cancun)	OTC / Unregulated Pharmacy	Primobolan, Deca, Sten, Oxandrolone	"Border-adjacent paradise where vet shops and human pharmacies sit on every single block."
Turkey (Istanbul/Antalya)	OTC Pharmacy Sales	Sustanon 250, Rimobolan (Primo), Anapolon	"Europeans fly in for cheap hair transplants, teeth veneers, and boxes of pharmaceutical-grade Primobolan."
Egypt (Cairo/Hurghada)	Direct OTC Pharmacy	Cidoteston (Test Enanthate), Deca	"Ultratight budget destination where genuine pharmaceutical Testosterone costs under $3 per ampoule."

The Global Havens & The Reality Check

GLOBAL HAVEN COMPARISON & MIGRATION REALITIES

4. Comparative Haven Breakdown >>> vvv

1. Thailand — The World's Ultimate Fitness Colony
The Vibe: Complete integration of fitness tourism, Muay Thai, and bodybuilding culture.
The Reality: Pharmacies on every street corner stock everything from Tamoxifen to Pharma-grade Test. Entire streets are designed purely around meal prep restaurants, recovery clinics, and open-air gym playgrounds.

2. Mexico — The Quick Escape for North Americans
The Vibe: High proximity for US bodybuilders tired of domestic domestic-UGL roulette.
The Reality: Veterinary brands (Sostenon, Brovel) historically paved the way, but direct human pharmacy access to cheap Test and Anadrol makes it a permanent sanctuary for digital nomads who lift.

3. Turkey — The European Underground Portal
The Vibe: High-end pharmaceutical production meeting low-cost Mediterranean living.
The Reality: Home to cheap, legitimate Rimobolan (Bayer Primobolan). European lifters move here to live cheap on coastal beaches while avoiding Western European customs seizures.

4. Egypt — The Northeast African Mass Mecca
The Vibe: Hardcore, old-school iron culture where extreme muscularity is revered as a national symbol of status and strength.
The Reality: Home to legendary, dirt-cheap human-grade pharma classics like CID Testosterone Enanthate and Nile Co. Sustanon straight from the local pharmacy shelf. With zero prescription hassle, dirt-cheap red meat, and extremely low cost-of-living along the Nile, it's a haven for mass-monsters who want to blast on a budget and train in legendary, high-intensity gyms.


[MIGRATION DESTINATIONS: SECTOR ANALYSIS]

THAILAND (THE MECCA OF SOUTHEAST ASIA)		MEXICO (THE NORTH AMERICAN ESCAPE)
• Pharmacy Access: Elite		• Pharmacy Access: Direct
• Gym Infrastructure: 10/10		• Gym Infrastructure: 7/10
• Lifestyle: Tropical/Beach	VS	• Lifestyle: Low-cost border proximity / coastal resort
• Major Hub: Soi Ta-ied		
• Gear Cost: Medium-Low		• Gear Cost: Very Low

5. The Dark Side of Permanent Expat Gear-Life table v v v
It's not all sunshine, beach workouts, and pure pharmaceutical vials. Permanent migration brings its own set of brutal realities Visa Clock & Immigration Bureaucracy: Buying gear over the counter is easy; getting a permanent residency permit is not. Most expats survive on digital nomad visas, student visas, or constant stress-inducing border runs every few months.

Tourist-Targeted Counterfeits: Just because it's behind a pharmacy counter doesn't mean it came from a regulated factory. Tourist-dense areas in Thailand and Mexico are flooded with clever counterfeit pharma ampoules made in local underground basements.
Medical & Cardiac Care Gaps: If your blood pressure spikes into crisis territory or your kidney markers crash, local emergency rooms in foreign party-towns may not have top-tier endocrinologists or spe-cialized cardiac ICU units available.

6. Concluding Summary: The Pharma-Migrant Rulebook
Legal ease doesn't equal health safety: Replacing underground gear with pharmaceutical-grade gear eliminates heavy metal contaminants,but it doesn't protect your heart or kidneys from extreme high-dose abuse.
Verify your pharmacy sources: Always source from major hospital-attached pharmacies or licensed chains rather than tourist-trap shops on nightlife strips to avoid fake pharma packaging.
Have an exit plan & medical coverage: Never move abroad for an anabolic lifestyle withoutcomprehensive international car-diac and renal emergency evacu-ations.



PHARMA-EXILE HALL OF FAME AWARDS

- THE "AMPOULE SNAP" AWARD: Thai Pharmacy Navigators
  For learning the precise glass-cracking technique required to open 100 sterile pharma Test ampoules without glass shards.
- THE "BORDER RUN DEADLIFT" AWARD: The Phuket Expat Gym-Bros
  For hitting a 600 lb deadlift in 95°F tropical humidity, followed immediately by a 3-hour minibus trip to renew their visa.
- THE "TURKISH PRIMO" AWARD: The European Escapees
  For moving to coastal Turkey solely to buy legitimate Bayer Rimobolan for less than the price of a cup of coffee.
- THE "TROPICAL MEAL PREP" AWARD: The Soi Ta-ied Residents
  For eating 2 lbs of fresh street-vendor chicken breast and jasmine rice daily for under $5 total.

Breaking the Genetic Ceiling: When Anabolics Fail, Receptor Downregulation, & Hyperplasia Protocols

```
================================================================================================================
            BREAKING THE GENETIC CEILING: WHEN ANABOLICS FAIL, RECEPTOR DESENSITIZATION, & HYPERPLASIA
       Anabolic Plateaus, Satellite Cell Exhaustion, Myostatin Wall, & The IGF-1 LR3 / PEG-MGF / HGH Hyperplasia Protocol
----------------------------------------------------------------------------------------------------------------
------
               Written by Science-Bros, Reviewed by Exhausted Cellular Biologists, Feared by Myostatin Genes Everywhere
================================================================================================================
```

THE ANABOLIC WALL, HYPERTROPHY VS. HYPER-PLASIA, & RECEPTOR FATIGUE

1. The Wall: Why Adding Another Gram of Gear Just Gives You Acne

Every bodybuilder eventually hits The Anabolic Wall. You blast 1,000 mg of Test, you grow. You bump it to 2,000 mg, you grow a bit more. But eventually, you're blasting 5 grams of total gear, eating 6,000 calories, and the scale won't budge a single ounce.

Your muscles aren't growing anymore—you're just getting high blood pressure, an enlarged prostate, and yellow sweat stains on your sheets. Human biology hit its hard physiological cap.

2. The Biochemistry of the Anabolic Ceiling: Why AAS Stop Working

Traditional Anabolic-Androgenic Steroids (AAS) work primarily via **Hypertrophy**—making existing muscle cells bigger. They do this by increasing protein synthesis, nitro-gen retention, and expanding the **myonuc-lear domain**. However, three brick walls stop this process cold. >>>

1. Hypertrophy vs. Hyperplasia (Making Cells Bigger vs. Making NEW Cells)

Hypertrophy (Steroids): Inflates existing muscle fibers. If you have 1,000 fibers in a bicep, steroids make those 1,000 fibers as thick as possible. Once they reach maximum physical capacity, growth stops.

Hyperplasia (Peptide/Growth Factors): Splits existing cells and recruits satellite stem cells to generate entirely new muscle fibers. Increasing your fiber count from 1,000 to 1,500 raises your absolute genetic ceiling permanently.

2. The Satellite Cell & Myonuclear Domain Limit

Skeletal muscle cells are multinucleated. Each nucleus can only govern a specific volume of cytoplasm (the Myonuclear Domain). To get larger, the muscle MUST recruit Satellite Cells (stem cells) and fuse them into the muscle fiber to donate new nuclei. When satellite cells are exhausted, steroid-induced hypertrophy dies.

3. The Unfiltered Bro-Science Translation Matrix >>>

Physiological Phenomenon	Primary Biological Cause	What The Pharmacology Says	What Actually Happens In Real Life
Receptor Saturation	Intracellular AR downregulation	Androgen receptors desensitize to continuous high ligand concentration	"You bump your blast from 2g to 4g, but your arms stay 18.5 inches while your acne quadruples."
Myostatin Overdrive	GDF-8 gene transcription surge	Endogenous negative regulator prevents cardiac & skeletal overgrowth	"Your body senses you're getting too big and activates biological governor limits to kill your gains."
Nuclei Exhaustion	Myonuclear domain ceiling	Existing nuclei reach maximum cytoplasmic regulation volume	"Steroids can't force the fiber to get any thicker because there aren't enough 'brain centers' inside the muscle cell."
Hyperplastic Splitting	Satellite cell proliferation	IGF-1/MGF signaling triggers stem cell fusion & fiber splitting	"Bypasses genetic limits by building brand new muscle fibers rather than just swelling up old ones."

```
                    [ THE TRIPLE-LOCK ANABOLIC BLOCKADE ]

  MYONUCLEAR CAPACITY                MYOSTATIN UPREGULATION              AR DOWNREGULATION
 ┌──────────────────────────┐      ┌──────────────────────────┐      ┌──────────────────────────┐
 | Muscle cells can only expand |  | As muscle mass increases,  |  | Continuous heavy androgen  |
 | until their nuclei can't     | + | the body spikes Myostatin, | + | exposure causes nuclear receptor|
 | manage the volume of tissue. |  | a protein that literally   |  | desensitization and intracellular|
 | (Cellular Overcrowding)      |  | turns off protein synthesis. |  | signaling exhaustion.      |
 └──────────────────────────┘      └──────────────────────────┘      └──────────────────────────┘
```


```
                    ┌──────────────────────────────────────────┐
                    |        THE ANABOLIC PLATEAU & ESCALATION CYCLE        |
                    └──────────────────────────────────────────┘
                                        |
          ┌──────────────┬──────────────┼──────────────┬──────────────┐
          ▼              ▼              ▼              ▼
 ┌──────────────┐ ┌──────────────┐ ┌──────────────┐ ┌──────────────┐
 | 1. THE HONEYMOON | | 2. THE DIMINISHING | | 3. THE MYOSTATIN WALL | | 4. HYPERPLASIA ERA |
 | [Hypertrophy Phase] | | [Receptor Saturation] | | [Gene-Level Lock] | | [New Muscle Fibers] |
 └──────┬───────┘ └──────┬───────┘ └──────┬───────┘ └──────┬───────┘
        |                |                |                |
        ▼                ▼                ▼                ▼
 Existing muscle fibers  Receptors downregulate.  Myostatin spikes to stop your  Peptides (IGF-1 LR3, PEG-MGF)
 expand rapidly. AR signaling  Adding extra grams yields zero  body from growing bigger. AR  create BRAND NEW muscle cells
 is fresh and responsive.  tissue; only side effects multiply.  signaling yields zero results.  to bypass your genetic limit.
```

The Hyperplasia Protocol, Compound Introduction & Awards

```
================================================================================
                    THE NEXT-LEVEL GROWTH FACTOR PIPELINE
================================================================================
```

5. How to Introduce Growth Factors When Steroids Fail

When adding more testosterone yields zero extra grams of tissue, you stop increasing the steroids and introduce Growth Factors & Splitting Peptides. >>>



1. HGH (Human Growth Hormone) — The Systemic Primer

Role: High-dose HGH (6–15 IU/day) drives hepatic production of systemic IGF-1 and upregulates satellite cell responsiveness.

Timing: Administered daily. Sets the hormonal environment required for structural tissue expansion.

2. MGF & PEG-MGF (Mechano-Growth Factor) — The Stem Cell Recruiter

Role: MGF is a splice variant of IGF-1 expressed naturally when muscle tissue is damaged by heavy resistance training. PEG-MGF (Pegylated) extends its half-life from minutes to days.

Mechanics: It forces local quiescent satellite stem cells to wake up and multiply (proliferation phase).

Protocol: Injected post-workout directly into target muscle groups (e.g., biceps or delts) on non-training days or immediately post-training.

3. IGF-1 & IGF-1 LR3 (Long R3 Insulin-like Growth Factor-1) — The Cell Builder

Role: IGF-1 LR3 is modified to prevent binding to IGF Binding Proteins (IGFBPs), making it 83 times more potent than standard IGF-1 with a 20-hour half-life.

Mechanics: After MGF proliferates satellite cells, IGF-1 LR3 causes those stem cells to differentiate and fuse into existing muscle fibers (or form brand-new micro-fibers). It also triggers extreme nutrient partitioning via the Akt/mTOR pathway.

Protocol: Run in targeted 4-to-6-week cycles. Administered pre-workout or post-workout alongside fast-acting carbohydrates to prevent severe hypoglycemia.

4.Secretagogues & GHRPs — The Biological Ceiling

Role: Compounds like MK-677, Ipamorelin, and CJC-1295 stimulate endogenous pituitary GH secretion. The Reality: While highly effective for wellness or anti-aging, they are completely ineffective as secondary rescue agents once anabolic steroids hit a plateau.

6. Comparative Growth Factor & Hyperplasia Matrix vvv

Compound	Primary Biological Target	Hypertrophic vs. Hyperplastic	Hyperplasia Potential	Danger / Hypo Risk	Optimal Usage Timing
High-Dose AAS	Androgen Receptors	**Hypertrophy Only**	Zero (0/10)	Low (Metabolic)	Baseline Anabolic Shield
HGH	Hepatic IGF-1 / GH Receptors	Both (Systemic)	Moderate (6/10)	Moderate (Insulin Resistance)	Daily (Morning/Pre-bed)
PEG-MGF	Muscle Stem Cells (Satellite)	**Hyperplasia Focus**	**HIGH (9/10)**	Low	Post-Workout / Rest Days
IGF-1 LR3	IGF-1 Receptors / Akt Pathway	**Both (Extreme)**	**MAXIMUM (10/10)**	**HIGH (Hypoglycemia)**	Pre/Post Workout with Carbs
Des(1-3) IGF-1	Local Muscle IGF Receptors	**Local Hyperplasia**	**MAXIMUM (10/10)**	Moderate (Short Acting)	Bi-lateral Intramuscular

7. Concluding Summa-ry: The Protocol for Breaking the Plateau

Stop adding more steroids: When 1.5 to 2 grams of AAS stops building muscle, adding a 3rd or 4th gram only increases organ strain and myostatin levels.

Switch pathways to Growth Factors: Introduce exogenous HGH + IGF-1 LR3 / PEG-MGF to transition from pure cellular hypertrophy to true stem-cell-driven hyperplasia.

Manage blood sugar and carbs: IGF-1 derivatives mimic insulin mechanics. Always pair IGF-1 LR3 protocols with intra-workout carbohydrates to prevent severe hypoglycemia and maximize cellular glycogen shuttling.

Coming up in the Next Issue, in Endocrinology pages:
5 stages of Hyperplasia
and how to make them work for you

For more detailed look at this and other bodybuilding topics visit our website:
bodybuildingtimes.com

```
================================================================================
                        GENETIC CEILING BREAKING AWARDS
--------------------------------------------------------------------------------
```

- THE "MYOSTATIN SLAP" TROPHY: 5-Gram Blast Veterans
  For adding an extra gram of Tren after hitting a plateau, only to gain zero muscle and lose their remaining hair.

- THE "SATELLITE CELL HARVESTER" MEDAL: PEG-MGF Specialists
  For successfully awakening dormant stem cells in their lagging side-delts after 10 years of zero growth.

- THE "HYPO GLYCOGEN SURVIVOR" CITATION: IGF-1 LR3 Users
  For eating three glazed donuts and a Gatorade in the gym locker room to prevent passing out post-injection.

- THE "NEW FIBER CREATOR" DIPLOMA: Advanced Peptide Chemists
  For realizing that making new muscle cells beats trying to force 20-inch arm fibers to hold more oil and water.

- THE "ORGANOMEGALY HONORABLE MENTION": Open Division Mass Monsters
  For growing their biceps by an inch using growth factors, while accidentally growing their hat size and internal organs by two inches.

```
================================================================================
```

Question & Answers

1. Minimum effective dose for a first Testosterone cycle? 300–500 mg per week of Testosterone Enanthate or Cypionate for 12–16 1weeks.
2. How long does Enanthate or Cypionate take to "kick in"? 4–5 weeks to reach steady-state blood concentrations and noticeable performance effects.
3. Is Propionate better for cutting? No. Ester length only affects release rate, not fat loss; Propionate just causes less water retention.
4. How to switch from long to short esters without crashing? Start injecting the short ester 7–10 days after your last long ester shot as blood levels naturally taper.
5. Is a Testosterone base mandatory for every cycle? Yes. Non-testosterone compounds suppress natural production, leading to low-estrogen side effects without a base.
6. Is Anavar safe without a Testosterone base? No. It suppresses natural testosterone, causing lethargy, low libido, and mood crashes over time.
7. How to control Dianabol water retention? Manage estrogen with an aromatase inhibitor (AI) like Aromasin or Arimidex and keep sodium in check.
8. Why does Trenbolone cause insomnia, night sweats, and "Tren cough"? It stimulates the central nervous system, increases body temperature, and triggers prostaglandin release into the bloodstream if a vein is nicked.
9. How to mitigate Trenbolone mental side effects? Keep doses low, manage prolactin/estrogen carefully, ensure adequate carbohydrate intake, and stay well-hydrated.
10. Is Masteron useful at high body fat? No. Its cosmetic visual effects (hardening, vascularity) are only visible under ~10% body fat.
11. Difference between Primobolan and Masteron? Primo is mildly tissue-building with weak anti-estrogenic effects; Masteron acts as a stronger anti-estrogen and cosmetic hardener with less direct muscle growth.
12. How harsh is Winstrol on joints, and what helps? Very harsh due to anti-estrogenic fluid drying; joint supplements like Omega-3s, Collagen, and Curcumin help mitigate pain.
13. How long to safely run oral steroids? 4–6 weeks maximum to avoid severe liver strain and negative lipid changes.
14. Are injectable orals less hepatotoxic? Slightly, but they still undergo first-pass or C17-alpha alkylated liver processing and remain toxic.
15. Best compound for muscle retention in a deep deficit? Low-dose Testosterone combined with Trenbolone or Primobolan.
16. High vs. low estrogen erectile dysfunction? High estrogen causes soft erections, watery eyes, and high BP; low estrogen causes dry joints, zero libido, and complete inability to get erect.
17. AI vs. SERM? AIs (Arimidex) stop testosterone from converting into estrogen; SERMs (Nolvadex) block estrogen receptors in specific tissues like breast tissue.
18. Aromasin vs. Arimidex & estrogen rebound? Aromasin permanently destroys the aromatase enzyme (no rebound); Arimidex temporarily binds it, causing an estrogen spike ("rebound") when discontinued.
19. How to stop early-stage gyno flaring up? Take a SERM like Raloxifene (60 mg/day) or Tamoxifen (20 mg/day) immediately to block breast tissue receptors.
20. Does Tren/Deca elevate Prolactin, and when to use Caber? Yes, both 19-nor compounds raise prolactin; use Cabergoline (0.25–0.5 mg twice a week) if prolactin or lactating/libido issues occur.
21. Best PCT protocol? Enclomiphene (12.5–25 mg daily) or a combination of Tamoxifen (20 mg) and Clomiphene (25–50 mg) daily for 4–6 weeks.
22. How long to wait post-injection before starting PCT? 14–18 days for long esters (Enanthate/Cypionate); 3–4 days for short esters (Propionate).
23. Should HCG be used during or after a cycle? During the cycle (250 IU twice weekly) to keep testicles functional; avoid using it during PCT as it suppresses natural LH.
24. How many weeks off between cycles? Time off = Time on + PCT length (typically 16–20 total weeks off).
25. Blast and Cruise vs. PCT? Blast & Cruise is better for those committed to TRT for life; PCT is necessary if maintaining natural endocrine recovery is desired.
26. Ideal timing for hGH injections? Fasted in the morning for fat loss, or pre-bed/post-workout for recovery and growth.
27. Genuine hGH fatigue vs. thyroid suppression? hGH fatigue/water clears up after a few weeks; persistent fatigue requires bloodwork to check for T3 suppression (treat with T3/Cytomel).
28. Does hGH build muscle alone? Very little on its own; it requires adequate insulin and anabolics for maximum muscle hypertrophy.
29. Best peptides for fat loss? Frag 176-191, CJC-1295 / Ipamorelin stacks, and GLP-1 agonists like Tirzepatide.
30. BPC-157 vs. TB-500 for injuries? BPC-157 works locally to heal specific tissue/tendons; TB-500 acts systemically to reduce widespread inflammation and repair muscle/connective tissue.

Anabolics are..)

•Masteron: The nightclub bouncer who doesn't fight people—he just bribes the door guy so Free Testosterone can walk straight into the VIP lounge.
•Testosterone Base: The trusty family sedan. It gets you anywhere you need to go, but if you step on the gas too hard without steering, you'll crash straight into Estrogen Mountain.
•Trenbolone: Like installing a jet engine onto a golf cart. You'll set a world speed record, but the steering wheel is broken, the engine is on fire, and you're sweating through your seat at 3:00 AM.
•Anadrol: A sledgehammer for your strength. It knocks the wall down instantly, but your liver takes the brunt of the flying brick debris.
•Dianabol: The original gym illusionist. It adds 15 lbs to your frame in three weeks, but 12 of those pounds are stored shower water.
•Anavar: The high-society socialite of orals. Polished, elegant, and makes you look incredible, but charges your lipid panel an absolute fortune behind your back.
•Primobolan: The luxury sports car of steroids. Ultra-smooth ride with zero bloat, but if you don't check your bank account first, you'll be sleeping in it.
•Deca-Durabolin: Like cushion foam for sore joints, except the foam occasionally turns off your libido's power breaker without warning.
•Halotestin: Pure liquid aggression. It turns mild-mannered lifters into individuals who want to arm-wrestle a moving freight train.
•Equipose (EQ): The steady long-distance runner. It slowly builds thick red blood cells until your veins look like a road map of New Jersey.
•Turinabol: The undercover secret agent. No crazy water bloat, no dramatic estrogen drama—just steady, silent performance increases.
•Superdrol: A chemical nuclear option. It gives you 3D muscle shoulders overnight, but makes walking up a flight of stairs feel like a cardio marathon.
•Proviron: The ultimate wingman. It doesn't do much heavy lifting on its own, but it keeps your mood elevated and frees up all your other gear to shine.
•Winstrol: Turns your muscles into dry, chiseled marble, but drains every drop of oil out of your knee joints until they squeak like a rusty screen door.
•Trestolone (MENT): The theoretical super-weapon. Ultra-potent muscle growth, but converts to estrogen so fast it could turn a boulder into a weeping willow.
•Testosterone Propionate: The espresso shot of test esters. Quick hit, great kick, but leaves your glutes feeling like a donkey kicked them every 48 hours.

Jokes

1. The Screamer on Cable Flyes: fighting invisible interdimensional monsters with 15 lbs per side.
2. The Water Gallon Carrier: ensuring everyone within a 100-yard radius knows they are hydrated.
3. The Unsolicited Form Coach: materializes from the shadows the exact second you try a new exercise.
4. The Shadow Boxer: throwing 4-punch combinations at the dumbbell rack mirror between sets of curls.
5. The Mirror Blocker: stands 2 inches from the glass so nobody else can check their lateral head.
6. The Tripod Director: treats a 60 kg deadlift like a feature-length Hollywood blockbuster.
7. The Hooded Hermit: wears three oversized hoodies, never makes eye contact, and moves the whole stack.
8. The Barefoot Lifter: takes off their shoes like they're entering a sacred temple before hitting a PR.
9. The Talkative Neighbor: strikes up a 20-minute conversation right as your pre-workout peaks.
10. The Equipment Hoarder: claims three sets of dumbbells, a cable pulley, and a flat bench at once.
11. The Half-Rep Bench Press King: puts six plates on the bar and moves it down two inches.
12. The Chalk Artist: leaves a cloud of white dust on everything within a 50-foot radius.
13. The Grunter: lets out a noise like an aggressive bear on warm-up sets.
14. The Social Butterfly: spends 90 minutes at the gym and completes exactly 2 sets of side raises.
15. The Phone Scroller: occupies the main bench for 15 minutes checking social media feeds.
16. The Rest-Pause Fanatic: claims they're still using the rack while standing by the water fountain.
17. The Weight Drop-Slammer: throws 10 lb. dumbbells to the rubber floor like they're dropping a bomb.
18. The Vintage Belt Wearer: uses a leather lifting belt from 1984 held together by sheer willpower.
19. The Supersetter: uses four different stations across the entire facility simultaneously.
20. The Beltless Purist: will not put on a lifting belt even if their spine threatens to snap.

Did you know...

1. ... that Eugen Sandow created the first official bodybuilding contest on September 14, 1901, at the Royal Albert Hall in London.
2. ... that The Mr. Olympia trophy is modeled directly after Eugen Sandow's physique.
3. ... that Arnold Schwarzenegger won his first Mr. Olympia title in 1970 at age 23, making him the youngest winner in history.
4. ... that The first Mr. Olympia competition was held on September 18, 1965, at the Brooklyn Academy of Music in New York.
5. ... that Larry Scott won the very first Mr. Olympia contest in 1965 and repeated his victory in 1966.
6. ... that Lee Haney and Ronnie Coleman hold the joint record for the most Mr. Olympia titles, with 8 wins each.
7. ... that Gold's Gym opened its original location in Venice Beach, California, in 1965, founded by Joe Gold.
8. ... that The famous documentary Pumping Iron was released in 1977 and brought bodybuilding into mainstream culture.
9. ... that Frank Zane won Mr. Olympia three times (1977–1979) weighing under 190 lbs, proving aesthetics could beat sheer size.
10. ... that Dorian Yates revolutionized bodybuilding in the 1990s with his "mass monster" physique and High-Intensity Training (HIT).
11. ... that The gluteus maximus is the largest and most powerful muscle in the human body.
12. ... that The stapedius, located inside the middle ear, is the smallest muscle in the human body (less than 2mm long).
13. ... that Muscles make up roughly 40% of an average human's total body weight.
14. ... that The masseter (jaw muscle) can exert a force of over 200 pounds on the molars, making it the strongest muscle based on weight.
15. ... that Skeletal muscles contain two main types of muscle fibers: Type I (slow-twitch/endurance) and Type II (fast-twitch/power).
16. ... that The "pump" sensation occurs when blood becomes trapped in the muscle capillaries during resistance training (hyperemia).
17. ... that Muscles can only pull; they cannot push. Pushing movements require muscles on the opposite side to pull on bones.
18. ... that Satellite cells are specialized stem cells that fuse to damaged muscle fibers to repair and enlarge them after lifting.
19. ... that Tendons connect muscle to bone, while ligaments connect bone to bone.
20. ... that Your tongue is composed of eight distinct muscles working together without support from bones.